

**ABHANDLUNGEN UND BERICHTE  
DES NATURKUNDEMUSEUMS GÖRLITZ**

Band 68, 1. Supplement

---

Abh. Ber. Naturkundemus. Görlitz, 1. Suppl. 1–32 (1994)

---

Redaktionsschluß: 31. Mai. 1994  
Erschienen am: 4. Juli 1994

**Bibliographia  
Mesostigmatologica**

Nummer 5

## BIBLIOGRAPHIA MESOSTIGMATOLOGICA

Zusammengestellt von Axel Christian

In den ABHANDLUNGEN UND BERICHTEN DES NATURKUNDEMUSEUMS GÖRLITZ werden jährlich die neuesten Arbeiten über mesostigmatische Milben publiziert, soweit uns diese bekannt wurden. Bitte helfen Sie bei der weiteren Vervollständigung der Literaturdatenbank durch unaufgeforderte Zusendung von Sonderdrucken bzw. Kopien. Wenn beides nicht möglich ist, bitte ich um Mitteilung der vollständigen Literaturzitate zur Aufnahme in die Datei.

Stellen Sie fest, daß in der Bibliographie Titel Ihrer Publikationen oder anderer Autoren fehlen, wäre ich Ihnen für eine Information dankbar.

Zur Deckung der Druck- und Versandkosten wird eine Kostenbeteiligung von 5,- DM pro Heft erbetten. Bitte schicken Sie Banknoten / Euroschecks in einem Einschreibebeispiel oder richten Sie die Zahlung an: Niederschlesische Sparkasse, BLZ 850 501 00, Konto Nr. 6165. Bitte geben Sie bei Verwendungszweck „Bibliographia Mesostigmatologica“ an.

Die Literaturdatenbank umfaßt gegenwärtig ca. 6800 Literaturstellen mit taxonomischen und ökologischen Stichwörtern. Auf Wunsch führe ich Recherchen nach vorgegebenen Stichworten durch und übersende Auszüge aus der Literaturliste.

Für die umsichtige und verantwortungsvolle Unterstützung möchte ich Fr. K. Franke danken.

In ABHANDLUNGEN UND BERICHTE DES NATURKUNDEMUSEUMS GÖRLITZ latest works on mesostigmatic mites are published every year in so far as they have come to our knowledge. Please help to keep the literature data bank as complete as possible. Please send me reprints or copies of all your papers on mesostigmatic mites ,or, if this is not possible, complete references so that I can include them in the list.

Please send an information to me, if I have not listed all your publications in the Bibliographia Mesostigmatologica.

A fee of 5,- Deutsche Mark per number is requested to cover the printing and mailing costs. Preferably send bank notes in convertible currencies / eurocheques in a registered letter or the payment is to be send to: Niederschlesische Sparkasse, BLZ 850 501 00, account number 6165. Please write at purpose „Bibliographia Mesostigmatologica“.

The literature data bank with taxonomical and ecological keywords contains already 6800 papers on mesostigmatic mites. Every scientist who sends me keywords for investigations can receive a literature list.

I wish to express my thanks to miss K. Franke for her responsible assistance in preparing of the Bibliographia.

Anschrift: Dr. Axel Christian

Staatliches Museum für Naturkunde Görlitz  
PF425  
D - 02806 Görlitz  
Deutschland

## Inhalt

Publikationen - Ergänzung	1988 .....	4
- Ergänzung	1989 .....	7
- Ergänzung	1990 .....	10
- Ergänzung	1991 .....	13
- Ergänzung	1992 .....	16
- erschienen	1993 .....	19
- erschienen oder im Druck	1994 .....	26
Personalia .....		28

## Contents

Publications - additions	1988 .....	4
- additions	1989 .....	7
- additions	1990 .....	10
- additions	1991 .....	13
- additions	1992 .....	16
- published	1993 .....	19
- published or in press	1994 .....	26
Personalia .....		28

## **Publikationen - Ergänzung 1988**

- Aggarwal, K./ Kapil, R.P. (1988): Seasonal population dynamics of *Tropilaelaps clareae* (Acari, Laelapidae) in *Apis dorsata* colonies. - In: Channabasavanna, G.P./ Viraktamath, C.A. (Eds.), Progress in Acarology, Oxford IBH Publ., New Delhi: 283-286
- Aggarwal, K./ Kapil, R.P. (1988): Observations on the effect of queen cell construction on *Evarroa sinhai* infestation in drone brood of *Apis florea*. - In: Needham, G.R. et al. (Eds.), Africanized Honey Bees and Bee Mites, Ellis Horwood Series Entomol. and Acarol., NY: 404-408
- Akimov, I.A./ Yastrebstov, A.V. (1988): Embryonic development of the parasitic mite *Varroa jacobsoni*. [Orig.Russ.]. - Vestn. Zool. 0,3: 55-62
- Akimov, I.A./ Yastrebstov, A.V. (1988): Skeletal-muscular system of gamasid mites (Mesostigmata, Gamasina). - Zool. Jb. Anat. 117: 397-439
- Athias-Henriot, C./ Darchen, R. (1988): Une nouvelle espece de Varroa. - Rev. Fr. Apic. 472:123-124
- Babcock, J.M./ Tanigoshi, L.K. (1988): Resistant levels of *Typhlodromus occidentalis* (Acari, Phytoseiidae) from Washington apple orchards to ten pesticides. - Exp. Appl. Acarol. 4: 151-157
- Baier, B./ Karg, W. (1988): Labortests zur Ermittlung der Nebenwirkung von Pflanzenschutzmitteln auf die Raubmilbe *Amblyseius barkeri* (Hughes). - Symp. Integr. Pflanzenschutz im Obstb., Göhren-Lebbin: xxx-xxx
- Ball, B.V. (1988): The incidence of acute paralysis virus in adult honey bee and mite populations. - In: Cavalloro, R. (Ed.), European Research on Varroosis Control, Balkema A.A., Rotterdam: 95-98
- Ball, B.V. (1988): The impact of secondary infection in honeybee infested with the parasitic mite *Varroa jacobsoni*. - In: Needham, G.R. et al. (Eds.), Africanized Honey Bees and Bee Mites, E. Horwood, Chichester: 457-461
- Ball, B.V./ Allen, M.F. (1988): The prevalence of pathogens in honeybee (*Apis mellifera*) colonies with the parasitic mite *Varroa jacobsoni*. - Ann. Appl. Biol. 113: 237-244
- Bhasker, S./ Putatunda, B.N. (1988): Mesostigmatid mites associated with bees in India. - In: Channabasavanna, G.P./ Virakta-math, C.A. (Eds.), Progress in Acarology. Oxford-IBH Publ., New Delhi: 287-289
- Boller, E./ Englert, W.D./ Baillod, M. (1988): Field test for *Typhlodromus pyri* (Phytoseiidae, Acari) in vineyards. - IOBC/WPRS Bull. 11,4: 139-143
- Büchler, R./ Drescher, W. (1988): Varroa-Resistenz als züchterische Aufgabenstellung. - ADIZ 22: 77-79
- Butz-Strazny, F./ Ehrnsberger, R. (1988): Einfluß von Grubber und Pflug auf die Milbenfauna im Ackerboden mit besonderer Berücksichtigung der Mesostigmata. - Osnabrücker naturwiss. Mitt. 14: 167-186
- Chen, C./ Meng, Y. (1988): Studies on chromosome aberration induced by Co(60) gamma ray in *Eulaelaps shanghaiensis* (Acari, Gamasina). [Orig.Chin.]. - Zool. Research 9: 21-27
- Chiesa, F./ Milani, N. (1988): Some preliminary observations on the behaviour of *Varroa jacobsoni* Oud. on its natural host under laboratory conditions. - In: Cavalloro, R. (Ed.), European research on Varroosis Control, Proc. EC Experts'Group, Balkema A.A., Rotterdam: 113-124
- Congdon, B.D./ McMurry, J.A. (1988): Morphological evidence establishing the loss of paternal chromosomes in males of predatory phytoseiid mites, genus *Euseius*. - Ent. Exp. Appl. 48: 95-96
- Congdon, B.D./ McMurry, J.A. (1988): Prey selectivity in *Euseius tullarensis* (Acari, Phytoseiidae). - Entomophaga 33: 281-287
- Corpuz-Raros, L.A./ Sabio, G.C./ Velasco-Soriano, M. (1988): Mites associated with stored products, poultry houses and house dust in the Philippines. - Philip. Ent. 7: 311-321
- Croft, B.A./ Baan, H.E. van de (1988): Ecological and genetic factors influencing evolution of pesticide resistance in tetranychid and phytoseiid mites. - Exp. Appl. Acarol. 4: 277-300
- Daly, H./ Jong, D. de/ Stone, N. (1988): Effect of parasitism by *Varroa jacobsoni* on morphometrics of Africanized worker honeybees. - J. Apic. Res. 27,2: 126-130
- Delfinado-Baker, M./ Baker, E.W. (1988): New mites (Acari, Laelapidae) from the nests of stingless bees (Apidae, Meliponinae) from Asia. - Int. J. Acarol. 14: 127-136
- Dicke, M. (1988): Infochemicals in tritrophic systems: origin and function in a system consisting of predatory mites, phytophagous mites and their host plants. - Ph. D. Diss., Agric. Univ., Wageningen: 1-235
- Dicke, M./ Sabelis, M.W. (1988): Origin and function of semiochemicals in a tritrophic system of host plant spider mites and predatory mites. - In: Bouletraeu, M./ Bonnot, G. (Eds.), Parasitoid Insects, European Workshop Lyon 1987, Les Colloques de l'INRA 48: 17-18

- Dicke, M./ Sabelis, M.W. (1988): How plants obtain predatory mites as bodyguards. - Netherlands Journal of Zoology 38: 148-165
- Dicke, M./ Sabelis, M.W./ Jong, M. de/ Alers, P.T. (1988): Do predatory mites select the best prey species in terms of reproductive success? - In: Dicke, M. (Ed.), Infochemicals in tritrophic interactions, Ph. D. Thesis, Wageningen, The Netherland: xxx-xxx
- Diekmann, O./ Metz, J.A.J./ Sabelis, M.W. (1988): Reflections and calculations on a prey-predator-patch problem. - Proceedings of Workshop on Selected Topics in Biomathematics, IIASA, Laxenburg, Austria 1987: xxx-xxx
- Diekmann, O./ Metz, J.A.J./ Sabelis, M.W. (1988): Mathematical models of predator-prey-plant interactions in a patchy environment. - Exp. Appl. Acarol. 5/3/4: 319-342
- Englert, W.D./ Maixner, M. (1988): Laborzucht von *Typhlodromus pyri* und Auswirkungen von Pflanzenschutzmitteln auf Mortalität und Fekundität dieser Milbe. - Nachrichtenbl. Deut. Pflanzenschutzd. 40: 121-124
- Esch, J. van/ Beetsma, J. (1988): Reproduction of „standard“ Varroa mites in relation to their preceding stay on adult bees of different age and function. - In: Cavalloro, R. (Ed.), Europ. Res. Varroatosis Contr., Proc. Meet. EC Experts' Group, Bad Homburg 1986: 57-62
- Evans, G.O./ Momen, F. (1988): The identity of *Seiulus rhenanus* Oudms. and *Typhlodromus foenilis* Oudms. (Acarina, Phytoseiidae). - J. Nat. Hist. 22: 209-216
- Fateh, J. (1988): Uplatnení dravého roztoc Amblyseius mckenziei Schuster et Pritchard (Acarina, Phytoseiidae) v integrované ochrane skleníkových okurek. [Kandidátska disertační]. - Vysoká škola zemědelská Praha: 1-138
- Fuchs, S. (1988): The distribution of *V. jacobsoni* on honeybee brood combs and within brood cells as a consequence of fluctuation infestation rates. - In: Cavarollo (Ed.), Europ. Res. on Varroatosis Contr., Proc. EC Exp.'Group Meet., Balkema Rotterdam: 73-76
- Fuchs, S./ Müller, K. (1988): Invasion of honeybee brood cells by *Varroa jacobsoni* in relation to the age of the larva. - In: Cavalloro, R. (Ed.), European Research on Varroasis Control. Balkema A.A., Rotterdam: 77-79
- Gallo, C./ Genduso, P. (1988): Chemical control with coumaphos (asuntol) and amitraz against *Varroa jacobsoni* in Sicily. - In: Proc. European Research Varroatosis Control Comm. Meeting EC Expert's Group, Bad Homburg, Apimondia, Bucharest: 173-175
- Geden, C.J./ Axtell, R.C. (1988): Predation by *Carcinops pumilio* (Coleoptera) and *Macrocheles muscaedomesticae* on the house fly: Functional response, effects of temperature, and availability of alternative prey. - Environ. Ent. 17,4: 739-744
- Geden, C.J./ Stinner, R.E./ Axtell, R.C. (1988): Predation by predators of the house fly in poultry manure: effects of predator density, feeding history, interspecific interference, and field conditions. - Environ. Ent. 17,2: 320-329
- Glinski, Z. (1988): Varroa jacobsoni affects the incidence and course of chalk-brood disease in *Apis mellifera* colonies. - Ann. Univ. Mariae Curie-Sklodowska DD 43: 23-27
- Glinski, Z./ Jarosz, J. (1988): Deleterious effects of *Varroa jacobsoni* on the honey bee. - Apicta 23: 42-55
- Goff, M.L. (1988): Gamasid mites as potential indicators of post mortem interval. - In: Channabasavanna, G.P./ Viraktamath, C.A. (Eds.), Progress in Acarology., Oxford-IBH Publ., New Delhi: 444-450
- Hansen, L.S. (1988): Control of *Thrips tabaci* (Thysanoptera) on glasshouse cucumbers using large introduction of predatory mites *Amblyseius barkeri* (Phytoseiidae). - Entomophaga 33: 33-42
- Hennessey, M.K./ Farrier, M.H. (1988): Systematic revision of thirty species of freelifing, soil-inhabiting Gamasine mites (Acarini, Mesostigmata) of North America. - Techn. Bull. North Carol. State Univ. 285: 1-123
- Hoppe, H./ Ritter, W. (1988): The influence of the Nasonov pheromone on the recognition of house bees and foragers by *Varroa jacobsoni*. - Apidologie 19,2: 165-172
- Houten, Y.M. van (1988): Aspects of the photoperiodic and thermoperiodic induction of diapause in the phytoseiid mite *Amblyseius potentillae*. - In: Proc. XVIII Intern. Congr. Entomology, Vancouver, B.C., Canada, 179 pp.: xxx-xxx
- Ivancich Gambaro, P. (1988): Natural alternative food for *Amblyseius andersoni* Chant (Acarina, Phytoseiidae) on plants without prey. - Redita 71: 161-171
- Jong, D. de (1988): *Varroa jacobsoni* does reproduce in worker cells of *Apis cerana* in South Korea. - Apidologie 19,3: 241-244
- Jong, D. de/ Morse, R.A. (1988): Utilisation of raised brood cells on the honey bee, *Apis mellifera* (Hymenoptera, Apidae), by the bee mite, *Varroa jacobsoni* (Acarina, Varroidae). - Ent. Gener., Stuttgart 14,2: 103-106

- Jong, D. de/ Steiner, J./ Goncalves, L.S./ Morse, R.A. (1988): Brazilian Varroa research rates current treatments too expensive. - Am. Bee J. 128: 138-139
- Koeniger, N. (1988): Überlebensstrategien von Varroa jacobsoni. - ADIZ 22,7: 234-240
- Koeniger, N./ Chmielewski, M. (1988): A new approach to chemotherapy of varroatosis. - In: Proc. European Res. Varroatosis Control, Proc. Meet. EC Expert's Group, Bad Homburg, Apimondia, Bucharest: 231-236
- Koeniger, N./ Fuchs, S. (1988): Control of Varroa jacobsoni Oud. in honeybee colonies containing sealed brood cells. - Apidologie 19: 117-130
- Koeniger, N./ Fuchs, S. (1988): Control of Varroa jacobsoni current status and developments. - In: Needham, G.R. et al. (Eds.), Africanized Honey Bees and Bee Mites, Ellis Horwood Series in Entomol. and Acarol., John Wiley & Sons, New York: 360-369
- Koeniger, N./ Muzaaffar, N. (1988): Lifespan of the parasitic honeybee mite, *Tropilaelaps clareae*, on *Apis cerana*, *dorsata* and *mellifera*. - J. Apic. Res. 27: 207-212
- Krantz, G.W./ Redmond, B.L. (1988): On the structure and function of the cibrum, with special reference to Macrocheles pergaber (Gamasida, Macrochelidae). - In: Channabasanna/ Viraktamath (Eds.), Progress in Acarology, Oxford & IBH Publishing, New Delhi 1: 179-185
- Kulincevic, J.M./ Rinderer, T.E. (1988): Breeding honey bees for resistance to Varroa jacobsoni: analysis of mite population dynamics. - In: Needham, G.R. et al. (Eds.), Africanized Honey Bees and Bee Mites, Ellis Horwood Limited, Chichester, London: 434-443
- Labadidi, M.S./ Sengonca, C. (1988): Die Wirksamkeit der verschiedenen Raubmilbenarten gegenüber der Baumwollspinnmilbe, *Tetranychus cinnabarinus* BOISD. (Acarina, Tetranychidae). - Mitt. Dtsch. Ges. Allg. Angew. Entomol. 6: 272-277
- Lubinevski, Y./ Stern, Y./ Slabezki, Y./ Lensky, Y./ Benyossef, H./ Gerson, U. (1988): Control of Varroa jacobsoni and *Tropilaelaps clareae* mites using Mavric in *A. mellifera* colonies under subtropical and tropical climates. - Amer. Bee J. 128: 48-52
- Maareg, M.F./ Saleh, R.S. (1988): Seasonal occurrence of mites and other invertebrate fauna of chicken manure in Egypt. - In: Channabasavanna, G.P./ Viraktamath, C.A. (Eds.), Progress in Acarology, Oxford-IBH Publ., New Delhi: 301-303
- Milani, N./ Nannelli, R. (1988): The narsal sense organ in Varroa jacobsoni Oud.: some observations. - In: Cavalloro, R. (Ed.), Present Status of Varroatosis in Europe and Progress in the Varroa Mite Control, Proc. Meet. EC-Experts'Group, Udine 1988, Commission European Communities: 71-82
- Milani, R. (1988): Morfologia de Varroa jacobsoni Oudemans: strutture e funzioni. - La Varroasi Oggi, Conv. Int. Apicolt., Trento: 103-115
- Nangia, N./ Channabasavanna, G.P. (1988): Acarina associated with stored products in Kanataka, India. - In: Channabasavanna, G.P./ Viraktamath, C.A. (Eds.), Progress in Acarology, Oxford-IBH Publ., New Delhi: 241-248
- Needham, G. (1988): Status report on Varroa jacobsoni. - Am. Bee J. 128,2: 106-110
- Northcraft, P.D./ Watson, T.F. (1988): Developmental biology of *Typhlodromus occidentalis* (Nesbitt) under three temperature regims. - The Southwestern Entomologist 13: 69-74
- Oduor, G. (1988): The effect of cassava (*Manihot esculenta* Crantz) leaf exudate on the life history and behaviour of the predacious mite *Typhlodromalus limonicus*. Survival of *T. limonicus*. - M. Sc. Thesis, Imp. Coll. Sci. Technol., Ascot, England: xxx-xxx
- Oomen, P.A. (1988): Guideline for the evaluation of side-effects of pesticides. *Phytoseiulus persimilis* A. H. - IOBC/WPRS Bulletin 11,4: 51-64
- Otten, C./ Fuchs, S. (1988): Individual differences in Varroa jacobsoni of preference for drone larvae to worker bee larvae. - In: Cavalloro, R. (Ed.), European Research on Varroatosis Control, Balkema A.A., Rotterdam: 69-71
- Overmeer, W.P.J. (1988): Laboratory method for testing side-effect of pesticides on the predacious mites *Typhlodromus pyri* and *Amblyseiuss potentialiae* (Acari, Phyto-seiidae). - Bulletin SROP 11,4: 65-69
- Posern, H. von (1988): The synthetic comb, a new weapon to fight the varroa mite? - Am. Bee J. 128: 698-708
- Ritter, W. (1988): Varroa jacobsoni in Europe, the tropics and subtropics. - In: Needham, G.R. et al. (Eds.), Africanized Honey Bees and Bee Mites, Ellis Horwood, Chichester, UK: 349-359
- Ritter, W. (1988): Reinvansion von Varroamilben in behandelte Völker. - Die Biene 124: 220-223

- Ritter, W. (1988): Situation of Varroosis in the Federal Republic of Germany. - In: Cavalloro, R. (Ed.), Present Status of Varroosis in Europe and progress in Varroa Mite Control, Proc. Meet. EC-Experts' Group, Udine, Italy 1988: 25-26
- Ritter, W. (1988): Medications registered in Western Europe for Varroosis control. - Apidologie 19: 113-116
- Ritter, W./ Schneider-Ritter, U. (1988): Differences in biology and means in controlling Varroa jacobsoni and *Tropilaelaps clareae*, two novel parasitic mites of *Apis mellifera*. - In: Needham, G.R. et al. (Eds.), Africanized Honey Bees and Bee Mites, Ellis Horwood, Chichester: 387-395
- Romaniuk, K./ Brobrezecki, J./ Wilde, J. (1988): The effect of invasion of Varroa jacobsoni on the development of queen bees. [Orig.Poln.]. - Wiad. Parazytol. 34: 295-300
- Roth, J.P./ MacQueen, A./ Bay, D.Z. (1988): Predation by the introduced phoretic mite, *Macrocheles peregrinus* (Acarina, Macrochelidae), on the buffalo fly, *Haematobia irritans exigua* (Diptera, Muscidae) in Australia. - Environ. Ent. 17,3: 603-607
- Ruijter, A. de/ Calis, J.N.M. (1988): Distribution of Varroa jacobsoni female mites in honey bee worker brood cells of normal and manipulated depth (Acarina, Varroidae). - Entomol. Gener. 14,2: 107-109
- Sabelis, M.W./ Janssen, A./ Helle, W. (1988): Population dynamics of predatory mites and spider mites. Part I. - Exp. Appl. Acarol. 4,3: 187-318
- Sabelis, M.W./ Janssen, A./ Helle, W. (1988): Population dynamics of predatory mite and spider mites. Part II. - Exp. Appl. Acarol. 5: 186-347
- Sakofski, F./ Koeniger, N. (1988): Natural transfer of Varroa jacobsoni among honeybee colonies in autumn. - In: Cavalloro, R. (Ed.), European research on varroosis control, Proc. Meet. Experts' Group, Bad Homburg, Balkema A.A., Rotterdam: 81-84
- Schatton-Gadelmayer, K./ Engels, W. (1988): Hämolympheproteine und Körpergewicht frischgeschlüpfter Bienenarbeiterinnen nach unterschiedlich starker Parasitierung durch Brutmilben (Hymenoptera, Apidae, Acarina, Varroidae). - Entomol. Gener. 14,2: 93-101
- Sengonka, C./ Bendiek, J. (1988): Die Eignung zweier Raubmilbenarten zur biologischen Bekämpfung von *Frankliniella occidentalis* (Pergande) (Thysanoptera, Thripidae). - Nachrichtenbl. Deut. Pflanzenschutzd. 40,11: 171-175
- Sterk, G./ Vanwetswinkel, G. (1988): A semi-field-method for testing the side-effects on the predatory mite *Phytoseiulus persimilis* A.-H. (Phytoseiidae, Acari). - IOBC/WPRS Bulletin 11,4: 135-136
- Walter, D.E. (1988): *Macrocheles schaeferi* (Acari, Mesostigmata, Macrochelidae), a new species of the subbaudius group from grassland soils in the central United States. - Ann. Ent. Soc. Amer. 81,3: 386-394
- Wienands, A. (1988): Synopsis der weltweit gegen die Varroa-Milbe der Honigbienen eingesetzten Präparate. - ADIZ 22: 313-315
- Wienands, A. (1988): The varroa mite has spread over most of the world. - Am. Bee J. 128:358-359
- Wise, G.U./ Hennessey, M.K./ Axtell, R.C. (1988): A new species of manure-inhabiting mite in the genus *Poecilochirus* (Acari, Mesostigmata, Parasitidae) predacious on house fly eggs and larvae. - Ann. Entomol. Soc. Am. 81: 209-224
- Yashi, Y. (1988): Sperm competition of *Macrocheles muscaedomesticae* (Scopoli) (Acarina, Mesostigmata, Macrochelidae), with special reference to precopulatory mate guarding behavior. - J. Ethol. 6,2: 83-90

#### **Publikationen - Ergänzung 1989**

- Abbas, N.D./ Engels, W. (1989): Rearing of Varroa in artificial cells of drones. - In: Cavalloro, R. (Ed.): Present Status of Varroosis in Europe and Progress in the Varroa Mite Control, Proc. Meet. EC Experts' Group, Udine 1988: 223-228
- Aguilar, H./ Salas, L.A. (1989): Biología y tabla de vida de *Typhlodromus pilosus* Chant (Acari, Phytoseiidae) en Costa Rica. - Turrialba 39,2: 162-169
- Ambros, M. (1989): Contribution to the knowledge of ectoparasites of small ground mammals from the Western Tatras. 2. Acari: Mesostigmata. [Orig.Slov.]. - Stredné Slovensko, Prírodne Vedy 8: 207-220
- Arutjunjan, E.S./ Arutjunjan, G.A. (1989): Morphology of Varroa jacobsoni Oud., 1904 (Mesostigmata, Varroidae) pest of bee. [Orig.Russ.]. - Biol. Zh. Arm. 42,5: 473-480

- Athiaş-Binche, F. (1989): General ecological principles which are illustrated by population studies of uropodid mites. - Adv. Ecol. Res., Acad. Press 19: 303-344
- Bakker, F.M./ Calis, J.N.M. (1989): A laboratory method for testing side effects of pesticides on phytoseiid mites, based on a ventilated glass box: the „coffin cell“. - Meded. Fac. Lanbouww. Gent 54,3a: 845-851
- Bakker, F.M./ Sabelis, M.W. (1989): How larvae of Thrips tabaci reduce the attack success of phytoseiid predators. - Entomologia Experimentalis et Applicata 50: 47-55
- Blasiolo, A./ Comparini, A. (1989): Electrophoretic analysis of gene-enzyme systems in *V. jacobsoni* Oud.: preliminary results.- In: Cavalloro, R.(Ed.), Present Status of Varroatosis in Europe and Progress in the Varroa Mite Control, Proc. Meet. EC Experts' Group , Udine 1988: 207-211
- Borden, E.R.R. (1989): The phoretic behavior and olfactory preference of Macrocheles muscaedomesticae (Scopoli) (Acarina, Macro-chelidae) in its relationships with *Fannia canicularis* (L.) (Diptera). - Pan-Pac. Ent. 65,1: 86-89
- Brown, J.M. (1989): Specialization in *Poecilochirus carabi*, a phoretic mite. - Dissert. Michigan State Univ. unpublished: xxx-xxx
- Bruin, J./ Sabelis, M.W. (1989): Do cotton plants communicate by means of airborne signals? Consequences for phytophagous mites and predatory mites. - Meded. Fac. Landbouww., Rijksuniv. Gent 54: 853-856
- Büchlér, R. (1989): Attractivity and reproductive suitability for the Varroamite of bee brood from different origin. - In: Cavalloro (Ed.), Present Status of Varroatosis in Europe and Progress in the Varroa Mite Control, Proc. Meet. EC Experts' Group, Udine 1988: 139-145
- Cavalloro, R. (1989): Current situation of varroatosis infestation and control. - In: Cavalloro, R. (Ed.), Present Status of Varroatosis in Europe and Progress in the Varroa Mite Control, Proc. Meet. EC Experts' Group, Udine 1988: 15-17
- Cavalloro, R. (Ed.) (1989): European research on varroatosis control. - In: Cavalloro, R. (Ed.). European Research on Varroatosis Control, Proc. Meet. EC Experts' Group, Bad Homburg, Balkema A.A., Rotterdam: 15-17
- Chiesa, F./ Milani, N./ D'Agaro, M. (1989): Observations of the reproductive behaviour of *Varroa jacobsoni* Oud.: techniques and preliminary results. - In: Cavalloro, R. (Ed.); Present Status of Varroatosis in Europe and Progress in the Varroa Mite Control, Proc. Meet. EC Experts' Group, Udine 1988 : 213-222
- Cobanoglu, S. (1989): Three new predatory mite species (Acari, Phytoseiidae) for Turkey. - ürk. entomol. derg. 13:229-238
- Colin, M.E. (1989): Pouvoir pathogene de *Varroa jacobsoni* et consequences pour la conduite du traitement de la varroatose de l'abeille. - Rev. sci. tech. Off. int. Epiz. 8,1: 221-226
- El Bagoury, M.E./ Momen, F.M. (1989): *Typhlodromus balamites* (Acarina, Phyto-seiidae) as a predator of the gall mite *Eriophyes dioscoridis* (Acarina, Eriophyidae). - Ann. Agric. Sci. Moshtohor 27,4: 2513-2520
- El Borossy, M./ Fischer Colbrie, P. (1989): Untersuchungen zum Artenspektrum von Raubmilben im österreichischen Obst- und Weinbau. - Pflanzenschutzberichte 50,2: 49-63
- Fain, A. (1989): Liste des nouveaux taxa decrits par le Dr. A. Fain. - Doc. Trav. Inst. R. Sci. Nat. Belg. 56: 1-65
- Geden, C.J./ Steinakraus, D.C./ Rutz, D.A. (1989): *Poecilochirus monospinosus* (Acarina, Mesostigmata, Parasitidae), a predator of house fly immatures: new localities records. - J. NY Ent. Soc. 97,4: 483-485
- Gillespie, D.R./ Ramey, C.A. (1989): Life history and cold storage of *Amblyseius cucumeris* (Acarina, Phytoseiidae). - J. entomol. Soc. Brot. Columbia 85: 71-76
- Hennessey, M.K./ Farrier, M.H. (1989): Mites of the family Parasitidae (Acari, Mesostigmata) inhabiting forest soils of North and South Carolina. - Publ. Entomol. North Carol. State Univ. : 1-80
- Houten, Y.M. van (1989): Photoperiodic control of adult diapause in the predacious mite, *Amblyseius potentillae*: repeated diapause induction and termination. - Physiol. Entomol. 14: 341-348
- Ho, C.C./ Lo, K.C. (1989): Contribution to the knowledge of the genus *Paraphytoseius* Swirski and Shechter (Acarina, Phytoseiidae) in Taiwan. - J. Agr. Res. China 38:88-99
- James, D.G. (1989): Biological control of *Tetranychus urticae* Koch (Acari, Tetranychidae) in Southern New South Wales peach orchards: The role of *Amblyseius victoriensis* (Acarina, Phytoseiidae). - Aust. J. Zool. 37:xxx-xxx
- James, D.G. (1989): Effect of pesticides on survival of *Amblyseius victoriensis* (Womersley), an important predatory mite in southern New South Wales peach orchards. - Plant Protection Quarterly 4,4:141-143
- Kinn, D.N./ Linit, M.J. (1989): A key to phoretic mites commonly found on long-horned beetles emerging from Southern pines. - USDA Forest Serv. Res. Note, SO 357: 1-8

- Kinn, D.N./ Roton, L.M. (1989): Rearing the sixspined Ips (Coleoptera, Scolytidae) free of mite associates. - Ann. Ent. Soc. Amer. 82,1: 60-63
- Koeniger, N. (1989): Überwinterung und Varroatenfall bei einem Freilandversuch mit afrikanisierten Bienen, *Apis mellifera carnica* und deren Hybriden. - Die Biene 125,6: 321-331
- Koeniger, N./ Fuchs, S. (1989): Eleven years with Varroa- Experiences, prospects and prospects. - Bee World 70,4: 148-159
- Kramer, D.A./ Hain, F.P. (1989): Effect of constant- and variable-humidity and temperature regimes on the survival and developmental periods of *Oligonychus unguis* (Tetranychidae) and *Neoseiulus fallacis*. - Environ. Entomol. 18,5: 741-746
- Lapina, I.M./ Melecis, V. (1989): On sampling method of soil gamasina mites for ecological investigations. [Orig.Russ.]. - In: The Impact of Highway Transport Emissions on Natural Environment., Riga, Zinatne : 117-125
- Le Conte, Y./ Arnold, G./ Trouiller, J./ Masson, C./ Chappe, B./ Ourisson, G. (1989): Attraction of the parasitic mite Varroa to the drone larvae of honey bees by simple aliphatic esters. - Science 245: 638-639
- Leite, R.C. (1989): Raillietiose Bovina. - D. Sc. Thesis, UFRRJ : 1-24
- Leite, R.C./ Faccini, J.L.H./ Costa, A.L. (1989): Avaliacao de uma tecnica in vivo para medir a infestacao por acaros do genero Raillietia Troussart (Acari) em bovinos. - Mem. Inst. Oswaldo Cruz, Rio de Janeiro 84,4: 309-311
- Marchesini, E./ Ivancich Gambaro, P. (1989): Indagini sui Fitoseidi nei vigneti della Valpolicella in rapporto ai programmi di difesa. Due specie a confronto: *Amblyseius aberrans* (Oud.) e *Typhlodromus pyri* Scheuten. - Re dia 72: 609-621
- Milani, N./ Chiesa, F. (1989): Suggestions for the artifical rearing of *Varroa jacobsoni* Oud. - In: Cavalloro, R. (Ed.): Present Status of Varroatosis in Europe and Progress in the Varroa Mite Control, Proc. Meet. EC Experts' Group, Udine 1988 : 229-236
- Noronha, A.C.S./ Moraes, G.J. de (1989): Flutuacao populacional do acaro verde de mandioca e suas predadores fitoseideos (Aca-ri, Tetranychidae, Phytoseiidae) em Cruz das Almas-Bahia. - Rev. bras. mand., Cruz das Almas (BA) 8,2: 31-39
- Otten, C. (1989): A comparison of Varroa population dynamics in different subspecies of *Apis mellifera*. - In: Cavalloro, R. (Ed.): Present Status of Varroatosis in Europe and Progress in the Varroa Mite Control, Proc. Meet. EC Experts' Group, Udine 1988, Bundesanzeiger Verlag, Köln : 101-106
- Pätzold, S./ Ritter, W. (1989): Studies on the behaviour of the honeybee mite, *Varroa jacobsoni* O., on a temperature gradient. - J. Appl. Ent. 107: 46-51
- Petrova, V.I./ Hramejeva, A.V. (1989): The study of predation activity in the mite *Amblyseius longispinosus*. [Orig.Russ.]. - In: Aspects of biological regulation of plant pest numbers, Riga, Zinatne : 39-67
- Petrova, V.I./ Hramejeva, A.V. (1989): On the regulation effect of bitoxibacilline in limiting the numbers of two-spotted spider mites and its impact on the *Phytoseiulus persimilis*. [Orig.Russ.]. - In: Aspects of Biological Regulation of Plant Pest Numbers, Riga, Zinatne : 5-38
- Rath, W. (1989): Survival and reproduction of *Varroa jacobsoni* on *Apis cerana*. - The First Asia-Pacific Conference of Entomology (APCE), Chiang Mai, Thailand 1989, Abstracts : xxx-xxx
- Röpstorff, P. (1989): Vergleichende Untersuchungen zur Entwicklung der Varroa-Milbe an der ägyptischen Honigbiene *Apis mellifera lamarckii* und *Apis mellifera car-nica*. - Apidologie 19: 512
- Rosenkranz, P./ Issa, M./ Rachinsky, A./ Strambi, A./ Strambi, C. (1989): Honeybee-Varroa relationships: a comparison of africanized and carniolan colonies. - In: Cavalloro, R. (Ed.), Present Status of Varroatosis in Europe and Progress in the Varroa Mite Control, Proc. Meet. EC Experts' Group, Udine 1988 : 193-198
- Rybin, S.N./ Horacek, I./ Cerveny, J. (1989): Bats of Southern Kirghizia: distribution and faunal status. - Europ. Bat Res. 1987, Charles Univ. Press, Praha : 421-441
- Sabelis, M.W./ Scholman, M. (1989): Sex ratio control in a pseudo-arrhenotokous phytoseiid mite. - In: Channa-basavanna, G.P./ Virakta-math, C.A. (Eds.), Progress in Acarology 1: 267
- Saccaces, S. (1989): *Varroa jacobsoni* Oud.: aspetti biologici, dianostici e terapeutici. - Biol. Oggi 3,3: 21-28
- Sakofski, F. (1989): Transfer of *Varroa jacobsoni* by robbing. - In: Cavalloro, R. (Ed.), Present Status of Varroatosis in Europe and Progress in the Varroa Mite Control, Proc. Meet. EC Experts' Group, Udine 1988, C.E.C., Luxembourg : 177-192

- Schousboe, C. (1989): A morphometric comparison of samples of females Varroa jacobsoni Oud. (Varroidae, Mesostigmata) from colonies of European honeybee, *Apis mellifera* (Apidae, Hymenoptera). - Danish J. Plant & Soil Sci. 93: 1-10
- Vila, Y./ Kreiter, S./ Sarthou, J.P. (1989): Lutte biologique contre les acariens phytophages a l'aide de phytoseiides dans les vignobles de Fronton et de Gaillac en Midi-Pyrenees. - Annales A.N.P.P. 2,1: 411-418
- Walter, D.E./ Ikonen, E. (1989): Species, guilds, and functional groups: taxonomy and behavior in nematophagous arthropods. - J. Nematol. 21,3: 315-327
- Zacharda, M. (1989): Biology of *Typhlodromus pyri* Scheuten (Acari, Phytoseiidae) in a commercial apple orchard. - Tag.-Ber. Akad. Landwirtsch.-Wiss. DDR, Berlin 278: 147-152
- Zannou, I. (1989): Etude de la biologie de population et de l'ecologie des acariens predateurs, phytoseiides exotiques laches experimentalement pour tester leurs etablissemment. - Ing. Agr. Fac. Sci. Agron., Univ. Nation. du Benin : xxx-xxx

#### Publikationen - Ergänzung 1990

- Ageeva, T.Z./ Petrova, A.D. (1990): Population structure of the invertebrates of arthropods in the burrows of *Citellus relictus* in the West Tien Shan. [Orig.Russ.]. - Vestn. Mosk. UN-TA. SER. 16, Biologia 3: 20-25
- Akimov, I.A./ Piletskaya, I.V./ Yastrebstov, A.V. (1990): Reproductive cycle of Varroa jacobsoni and its host connections. - Vestn. Zool. 2: 41-47
- Akimov, I.A./ Zaloznaya, L.M./ Yefimov, V.M./ Galaktionov, Y.K. (1990): Seasonal and geographical variation on the morph. characters of Varroa jacobsoni: variation of the mean values, standard deviations and coefficients of the fluctuating asymmetry. - Zool. Zhurn. 69,9: 27-38
- Al Amidi, A.H.K./ Downes, M.J. (1990): Parasitus bituberosus (Acari, Parasitidae), a possible agent for biological control of Heterospeza pygmaea (Diptera, Cecyidae) in mushroom compost. - Exp. Appl. Acarol. 8: 13-25
- Arnold, G. (1990): Current and recent research on Varroa in Europe. - Amer. Bee J. 130,4: 257-261
- Baier, B./ Karg, W. (1990): Labortestmethode zur Prüfung der Wirkungen von Pflanzenschutzmitteln auf die oligophage Raubmilbe Amblyseius barkeri (Hughes) (Acarina, Phytoseiidae). - . Appl. Ent. 110: 55-62
- Barnard, C.J. (1990): 1. Parasitic relationships. - In: Barnard, C.J./ Behnke, J.M. (Eds.), Parasitism and Host Behaviour, Taylor & Francis, London: 1-33
- Błoszyk, J. (1990): Fauna Uropodina mites (Acari, Mesostigmata) of decayed tree stumps and hollows in Poland. [Orig.Poln.]. - Zesz. Probl. Postepow Nauk Roln., Warszawa 373: 217-235
- Błoszyk, J./ Miko, L. (1990): Die Bodenfauna des Pieniny-Gebietes. I. Uropodina (Acarina, Aractinotrichida). [Orig.Poln.]. - Entomol. Probl., Bratislava 20: 21-47
- Boecking, O. (1990): Brutattraktivitätsunterschiede verschiedener Bienenerkünfte für Varroa jacobsoni Oud. im Labortest und das Putzverhalten von *Apis mellifera* L. - Diplomarbeit Univ. Göttingen: xxx-xxx
- Boecking, O./ Drescher, W. (1990): The reaction of worker bees in different *Apis mellifera* colonies to Varroa infested brood cells. - In: Ritter, W. et al. (Eds.): Proc. Recent Research on Bee Pathology, Apimondia, Gent 1990, Belgium: 41-42
- Boot, W.J./ Calis, J.N.M./ Beetsma, J. (1990): Invasion of Varroa mites in honeybee brood cells: observation of Varroa mite behaviour. - In: Ritter, W. et al. (Eds.), Proc. Recent Research on Bee Pathology, Apimondia, 1990, Gent, Belgium: 43-44
- Büchl, R. (1990): Genetisch bedingte Unterschiede in der Anfälligkeit von Bienenvölkern (*A.mellifera*) gegenüber der Varroa-Milbe (*V.jacobsoni*) als Grundlage einer Zucht auf erhöhte Widerstandsfähig. - Diss. Rheinische Friedrich-Wilhelm-Univ. Bonn: xxx-xxx
- Büchl, R. (1990): AG-Tagung in Adelsdorf März 1990: Möglichkeiten zur Selektion auf erhöhte Varroa-Toleranz mitteleuropäischer Bienenerkünfte. - Apidologie 21,4: 365-367
- Büchl, R. (1990): Attractivity and reproductive suitability for the Varroa mite of bee brood from different origin. - In: Cavalloro, R. (Ed.), Present Status of Varroatosis in Europe and Progress in Varroa Mite Control, Proc. Meet. EC Experts' Group, Udine 1988: 139-145
- Büchl, R./ Drescher, W. (1990): Variance and heritability of the capped developmental stage in European *Apis mellifera* L. colonies and its correlation with increased Varroa jacobsoni Oud. infestation. - J. Apic. Res. 29: 172-176
- Burgett, M./ Rossignol, P.A./ Kitprasert, C. (1990): A model of dispersion and regulation of brood mite (*Tropilaelaps clareae*) parasitism on the giant honeybee (*Apis dorsata*). - Can. J. Zool. 68: 1423-1427

- Colin, M.E. (1990): Essential oils of Labiatea for controlling honey bee varroosis. - J. Appl. Ent. 110: 19-25
- Costa, A.L. (1990): Alguns aspectos bioecológicos de Raillietia Trousseart, 1902 (Acari, Gamasida) principal agente da Oto-cariase dos bovinos. - D. Thesis, UFRRJ: 1-73
- Dicke, M./ Sabelis, M.W./ Takabayashi, J./ Bruin, J./ Posthumus, M.A. (1990): Plant strategies of manipulating predator-prey interactions through allelochemicals: prospects for application in pest control. - J. Chem. Ecol. 16,11: 3091-3118
- Duso, C./ Sbrissa, F. (1990): Phytoseiid mites (Acari, Phytoseiidae) in North-Italian apple orchards: distribution, biology, ecology and economic importance. - Boll. Zool. agr. Bachic., Ser. II 22,1: 53-89
- Eickwort, G.C. (1990): Associations of mites with social insects. - Ann. Rev. Entomol. 35: 469-488
- Eickwort, G.C. (1990): Mites: an overview. - In: Morse, R.A./ Nowogrodzki, R. (Eds.), Honey Bee Pests, Predators and Diseases, Cornell Univ. Press Ithaca 2nd ed.: 189-199
- Engel, R. (1990): Alternative prey and other food resources of the Phytoseiid mite *Typhlodromus pyri* (Scheuten). - In: Schmid, A. (Ed.), Integrated Control in Viticulture, Proc. Meeting at Sion (Switzerland) 1989, IOBC/WPRS Bulletin: 124-127
- Fenilli, R./ Flechtmann, C.H.W. (1990): Acarol do Pinheiro-Do-Parana em lages, Santa Cata-rina. - An. ESALQ, Piracicaba 47,1: 243-250
- Flechtmann, C.H.W. (1990): Dois Acaros associados a Abelha (*Apis mellifer L.*) no Peru. - Anais dda E.S.A. „Luiz de Queiroz“ 37: 737-741
- Fuchs, S. (1990): Preference for drone brood cells by *Varroa jacobsoni* Oud. in colonies of *Apis mellifera carnica*. - Apidologie 21: 193-199
- Geden, C.J./ Stinner, R.E./ Kramer, D.A./ Axtell, R.C. (1990): Macmod: a simulation model for Macrocheles muscaedomesticae (Acari, Macrochelidae) population dynamics and rate of predation on immature house flies. - Environ. Ent. 19,3: 578-586
- Gilkerson, L.A./ Morewood, W.D./ Elliott, D.E. (1990): Current status of biological control of thrips in Canadian greenhouses with *Amblyseius cucumeris* and *Orius tristicolor*. - O.I.L.B. Bull. S.R.O.P./ W.P.R.S. 13: 71-73
- Girolami, V./ Vettorello, G. (1990): Popolazioni di *Amblyseius aberrans* (Oud.) tolleranti di tiocarbammati. - Inf. to re agr.: xxx-xxx
- Glinski, Z./ Jarosz, J. (1990): Serratia marescens artificially contaminating brood and worker honey bees pollutes *Varroa jacobsoni* mite. - J. Apic. Res. 29: 107-111
- Guzman, L.I. de/ Rinderer, T.E./ Kulincevic, J.M. (1990): An update on the evaluation of Yugoslavian honey bees bred for resistance against *Varroa jacobsoni* Oud. - In: Ritter, W. et al. (Eds.), Proc. Recent Research on Bee Pathology, Apimondia, 1990, Gent, Belgium: 60-62
- Hirschmann, W. (1990): Data to the Uropodina (Acari, Mesostigmata) fauna of the Bator-liget Nature Reserves (NE Hungary). - In: Batorliget Nature Reserves after forty years, Akad. Kiado Budapest: 705-706
- Hoeven, W.A.D. van der/ Rijn, P.C.J. van (1990): Factors affecting the attack success of predatory mites on thrips larvae. - Proc. exper. & appl. Entomol. N.E.V. Amsterdam 1: 25-30
- Houten, Y.M. van (1990): Comparative analysis of the photoperiodic and thermoperiodic induction of diapause in the predatory mite *Amblyseius potentillae*. - Ph.D. Dissertation, Univ. Amsterdam: 1-93
- Houten, Y.M. van/ Veerman, A. (1990): Photoperiodism and thermoperiodism in the predatory mite *Amblyseius potentillae* are probably based on the same mechanism. - J. Comp. Physiol. A 167: 201-209
- Hyatt, K.H. (1990): Mites associated with terrestrial beetles in British Isles. - Ent. Month. Mag. 126: 133-147
- Ifantidis, M.D. (1990): Reexamination of reproduction parameters of the mite *Varroa jacobsoni* Oudemans. - Proc. Recent Res. Bee Path., Ghent, Belgium: 20-26
- Jacobs, F.J./ Lenaerts, A./ Graaf, D. de/ Casteels, P. (1990): Humoral reactions of honeybees in relation to *Varroa* and Nosema disease of honeybees. - In: Ritter, W. et al. (Eds.), Proc. Recent Research on Bee Pathology, Apimondia, 1990, Gent, Belg.: 120-124
- Janssen, A./ Hofker, C.D./ Braun, A.R./ Mesa, N./ Sabelis, M.W./ Bellotti, A.C. (1990): Preselecting predatory mites for biological control: the use of an olfactometer. - Bull. Entomol. Research 80: 177-181
- Johnson, S.G. (1990): Biology and predacious ability of *Amblyseius barkeri* (Hughes) and *A. cucumeris* (Oud.) predators of the western flower thrips, *Frankliniella occidentalis* (Pergande). - M. Sc. Thesis, McGill Univ.: xxx-xxx
- Karps, A.E./ Lapina, I.M./ Melezis, W.P. (1990): Die Umweltverschmutzung durch den Abfluß eines Schweinezuchtkomplexes. [Orig.Russ.]. - Riga, Zinatne: 1-237

- Kevan, P.G./ Laverty, T.M./ Denmark, H.A. (1990): Association of Varroa jacobsoni with organisms other than honeybees and implications for its dispersal. - Bee World, Gerrards Cross 71,3: 119-121
- Kniehase, U./ Zoebelein, G. (1990): Ergebnisse von Prüfungen der nützlingsschonenden Wirkung von Pflanzenschutzmitteln an der Raubmilbe, Phytoseiulus persimilis A. H. mit einer neuen praxisnahen Labormethode. - Anz. Schädlingsk., Pflanzen-, Umweltschutz 63: 105-113
- Koeniger, N. (1990): The parasite host relationships of Varroa jacobsoni and Apis species. - In: Veeresh, G.K. et al. (Eds.), Social Insects and the Environment, Proc. 11th Intern. Congr. IUSSI 1990, India, Oxford & IBH Publ. Co. Pvt. Ltd.: 453-454
- Koeniger, N. (1990): Coevolution of the Asian honey bees and their parasitic mites. - In: Veeresh, G.K. et al. (Eds.), Social Insects and the Environment, Proc. 11th Intern. Congr. IUSSI 1990, India, Oxford & IBH Publ. Co. Pvt. Ltd.: 130-131
- Krantz, G.W./ Ainscough, B.D. (1990): Acarina: Mesostigmata (Gamasida). - In: Dindal, D.L. (Ed.), Soil Biology Guide, Wiley, New York: 583-665
- Kraus, B. (1990): Effects of honeybee alarm pheromone compounds on the behaviour of Varroa jacobsoni. - Apidologie 21: 127-134
- Larink, O./ Lübben, B./ Glockemann, B./ Prescher, S. (1990): Klärschlamm, Schwermetalle und Bodentiere. - NNA-Berichte 3,2: 77-80
- Liu, T.P./ Peng, Y.S. (1990): Palpal tarsal sensilla of the female mite, Varroa jacobsoni Oudemans (Acari, Varroidae). - Canadian Entomologist 122:295
- Li, G./ Meng, Y. (1990): Studies on karyotype and G-banded chromosomes of Hypoaspis lubrica. [Orig.Chin.]. - Zool. Res. 11: 29-33
- Lundquist, L. (1990): Taxonomic and functional significance of presternal area in Haemogamasus mites (Acari, Mesostigmata, Laelapidae), with a revised key to Fennoscandian species. - Ent. Scand. 21,3: 329-337
- Luxton, M. (1990): The marine littoral mites of New Zealand region. - J. R. Soc. N. Z. 20,4: 367-418
- Mesa, N.C./ Braun, A.R./ Bellotti, A.C. (1990): Comparison of Mononychellus progressivus and Tetranychus urticae as prey for five species of phytoseiid mites. - Exp. Appl. Acarol. 9: 159-168
- Milani, N./ Chiesa, F. (1990): Some stimuli inducing oviposition in Varroa jacobsoni Oud. - In: Ritter, W. et al. (Eds.): Proc. Intern. Symp. Recent Research on Bee Pathology, Apimondia, Ghent: 27-33
- Milani, R./ Chiesa, F. (1990): Some factors affecting the reproduction of Varroa jacobsoni Oud. under laboratory conditions. - Apicoltura, Roma 6: 33-42
- Moritz, R.F.A./ Mautz, D. (1990): Development of Varroa jacobsoni in colonies of Apis mellifera capensis and Apis mellifera carnica. - Apidologie 21: 53-58
- Mossadegh, M.S. (1990): In vitro observations on ontogenesis of the mite, Euvarroa sinhai Delfinado & Baker (Acari, Varroidae), in drone brood cells of the honeybee, Apis mellifera L. - J. Apicult. Res. 29,4: 230-232
- OEPP/ EPPO (1990): Guideline for the evaluation of side-effects of plant protection products. 151. Phytoseiulus persimilis. - Bull. OEPP/ EPPO Bull. 20: 531-550
- Otten, C. (1990): Reproduction and population dynamics of Varroa jacobsoni Oud. in colonies of Apis mellifera L. of different origin. - In: Ritter, W. et al. (Eds.): Proc. Recent Research on Bee Pathology, Apimondia, 1990, Gent, Belgium: 67-69
- Otten, C./ Fuchs, S. (1990): Saisonale Unterschiede im Reproduktionsverhalten von Varroa jacobsoni in Völkern der Rassen A. mellifera carnica, A. mellifera mellifera. - Apidologie 20: 367
- Pogrebnjak, S.G./ Kolodochka, L.A. (1990): Die Gesetzmäßigkeiten des Hungerns von Milben (Phytoseiidae) und die Darstellung dieses Prozesses. [Orig.Russ.]. - X. Allunionskongr. Entomol. 1989, Akad. Nauk SSSR: 126-127
- Poinar, G.O./ Grimaldi, D.A. (1990): Fossil and extant macrochelid mites (Acari, Macrochelidae) phoretic on drosophilid flies (Diptera, Drosophilidae). - J. NY. Ent. Soc. 98,1: 88-92
- Puerta-Puerta, F./ Flores-Serrano, J.M./ Bustos-Ruiz, M./ Padilla-Alvarez, F. (1990): Influencia del nivel de hormona juvenil (J.H.III) del hospedador (Apis mellifera) sobre el ciclo biológico de Varroa jacobsoni. - Rev. Iber. Parasit. 50,3/4: 319-322
- Puerta-Puerta, F./ Flores-Serrano, J.M./ Bustos-Ruiz, M./ Padilla-Alvarez, F. (1990): Distribución selectiva de Varroa jacobsoni en distintas poblaciones de larvas de Apis mellifera ibérica. - Rev. Iber. Parasit. 50,3/4: 313-317

- Rademacher, E. (1990): Die Varroatose der Bienen. Geschichte, Diagnose, Therapie. - Schelzky and Jeep, Berlin: 1-149
- Ragusa, S./ Zedan, M.A./ Sciacchitano, M.A. (1990): The effects of food from plant and animal sources on the development and egg production of the predaceous mites Hypoaspis aculeifer. - Redia 69: 481-488
- Ramakers, P.M.J. (1990): Manipulation of phytoseiid thrips predators in the absence of thrips. - SROP/WPRS Bulletin 13,5: 169-172
- Rath, W./ Drescher, W. (1990): Response of *Apis cerana* Fabr. towards brood infested with Varroa jacobsoni Oud. and infestation rate of colonies in Thailand. - Apidologie 21: 311-321
- Rijn, P.C.J. van/ Houten, Y.M. van (1990): Life history of Amblyseius cucumeris and *A. barkeri* (Acarina, Phytoseiidae) on a diet of pollen. - Proc. 8th Int. Congr. Acarol.: xxx-xxx
- Rijn, P.C.J./ Sabelis, M.W. (1990): Pollen availability and its effect on the maintenance of populations of Amblyseius cucumeris, a predator of thrips. - SROP/WPRS Bulletin 13,5: 179-184
- Rijn, P.C.J./ Sabelis, M.W. (1990): Pollen as an alternative food source for predatory mites and its effect on the biological control of thrips in greenhouse. - Proc. Exp. Appl. Entomol., N.E.V., Amsterdam 1: 44-48
- Ritter, W. (1990): Entwicklung der Varroamilbenpopulationen in behandelten und unbehandelten Völkern in Tunesien. - Apidologie 21,4: 368-370
- Ritter, W. (1990): Entwicklung einer Varroatoleranz in Bienenvölkern in Tunesien. - ADIZ 24:368-370
- Ritter, W./ Michel, P./ Bartholdi, A./ Schwendemann, A. (1990): Development of tolerance to Varroa jacobsoni in bee colonies in Tunisia. - In: Ritter, W. et al. (Eds.), Proc. Recent Research on Bee Pathology, Apimondia, Gent 1990, Belgium : 54-59
- Rogg, H.W./ Yaninek, J.S. (1990): Population dynamics of *Typhlodromalus limonicus* form Colombia, an introduced predator of the exotic cassava green mite in West Africa. - Mitt. Schweiz. Entomol. Gesellsch. 63: 389-398
- Rosenkranz, P. (1990): Der Einfluß larvaler Bienenhämolymphe auf die Fertilität von Varroa jacobsoni in europäischen und afrikanischen Bienenvölkern. - Apidologie 20: 370
- Ryu, M.O./ Ehara, S. (1990): Description of a new species of phytoseiid mite (Acarina, Phytoseiidae) and a list of phytoseiids from Korea. - Korean J. Ent. 20: 145-150
- Sakofski, F. (1990): Quantitative investigations on transfer of Varroa jacobsoni Oud.. - In: Ritter, W. et al. (Eds.), Proc. Recent Research on Bee Pathology, Apimondia, Gent 1990, Belgium: 70-72
- Sakofski, F./ Koeniger, N./ Fuchs, S. (1990): Seasonality of honey bee invasion by Varroa jacobsoni Oud. - Apidologie 21: 547-550
- Stanjukovich, M.K. (1990): Gamasoide Milben der Gattung Macronyssus der Flattertierfauna der SSSR. [Orig.Russ.]. - Tes. Dokl. VI. Allunionskongr. Probl. Acarol.Ashchabad: 119-120
- Wallner, A. (1990): Beobachtungen natürlicher Varroa-Abwehrreaktionen in meinen Bienenvölkern. - Imkerfreund 9: 4-5
- Wallner, A. (1990): Meine Betriebsweise die Varroa-Killer-Biene. Auslesekriterien. - Imker heute, Randegg: xxx-xxx
- Wallner, K. (1990): Varroamittel - Gefahr für den Honig? - Deut. Imker J. 1: 467-469
- Walter, D.E./ Kaplan, D.T. (1990): A guild of thelytokous mites (Acari, Mesostigmata) associated with citrus roots in Florida. - Environ. Entomol. 19,5: 1338-1343
- Wieting, J./ Ferenz, H.J. (1990): Invasion der Honigbienenbrut durch die Milbe Varroa jacobsoni: Abschwächung befallsauslösender Faktoren durch ANP-Kunststoffwaben. - Imkerfreund 45: 10-11

#### Publikationen - Ergänzung 1991

- Appel, H./ Büchler, R. (1991): Wärmebehandlung zur Sanierung von Bannwaben gegen Varroa jacobsoni. - Apidologie 22,4: 389-396
- Beerling, E.A.M./ Geest, L.P.S. van der (1991): Microsporidiosis in massrearings of the predatory mites Amblyseius cucumeris and *A. barkeri* (Acarina, Phytoseiidae). - Proc. Exper. & Appl. Entomol., N.E.V. Amsterdam 2: 157-162
- Błoszyk, J. (1991): State of investigation of Uropodina (Acari, Anactinotrichida) in Polish National Parks. [Orig.Poln.]. - Parki Narodowe i Rezerwy Przyrody 10,1-2: 115-122

- Boecking, O. (1991): Erfelijke factoren van de honigbij in verband met de resistentie voor de varroamijt. (lezing samengevat door INE JELLEMAN). - Bijenteelt VBBN 1: 9-12
- Boecking, O./ Drescher, W. (1991): Response of *Apis mellifera* L. colonies infested with Varroa jacobsoni Oud.. - Apidologie 22,4: 237-241
- Boecking, O./ Drescher, W. (1991): Selektion and breeding for honey bee „resistance“ against Varroa jacobsoni Oud., survey of the current investigation. Abstr. Apimondia, Bee Breeding and Selection - Zagreb 1991, Yugoslavia: 19
- Bozic, J. (1991): Social grooming behavior of the honeybee. - Apimondia Symp. 1990, Zagreb, Yugoslavia: xxx-xxx
- Bruin, J./ Sabelis, M.W. (1991): Airborne information transfer between cotton plants: consequences for phytophagous mites and predatory mites. - In: Szentesi, A./ Jermy, T. (Eds.), Insect-Plants 1989, Akademiai Kiado, Budapest: 447-448
- Büchler, R. (1991): Möglichkeiten der Varroa-Resistenzzucht. - Die Biene 6: 315-324
- Büchler, R./ Hoffmann, S. (1991): Varroatransfer zwischen Völkern. Ausmaß, Faktoren und Konsequenzen. - Deutsches Imker Journal 9: 376-381
- Büchler, R./ Maul, V. (1991): Die Nachwirkung einer Bayvarolbehandlung auf später in die Bienenvölker eingebrachte Varroamilben. - Apidologie 22,4: 389-396
- Buryn, R. (1991): Die Gamasidenfauna eines Fichtenforstes im Fichtelgebirge (Oberwarmensteinach) - Einfluß der Kalkdüngung. - Ber. an Bayreuther Inst. f. Terrestr. Ökosyst.forsch.: xxx-xxx
- Colin, M.E./ Richard, D./ Chauzy, S. (1991): Measurement of electric charges carried by bees: evidence of biological variations. - Journal of Bioelectricity 10,1-2: 17-32
- Denmark, H.A./ Cromroy, H.L./ Cutts, L. (1991): Varroa mite, Varroa jacobsoni Oud. (Acari, Varroidae). - Entomology Circular 347: 1-4
- Dicke, M./ Sabelis, M.W./ Bogaers, M.P.T. Alers/ Halder, I. van (1991): Kairomone perception by a predatory mite: behavioural analysis of chemoreceptor-carrying extremities. - Proc. Exper. Appl. Entomol., N.E.V. Amsterdam 2: 179-184
- Dicke, M./ Sabelis, M.W./ Takabayashi, J. (1991): Do plants cry for help? Evidence for a titrophic system of predatory mites, spider mites and their host plants. - In: Szentesi, A./ Jermy, T. (Eds.), Insect Plants 1989, Akadémiai Kiado, Budapest: 127-134
- Dunley, J.E./ Messing, R.H./ Croft, B.A. (1991): Levels and genetics of insecticide resistance in Italian and Oregon biotypes of Amblyseius andersoni Chant. - J. Econ. Ento-mol. 84: 750-755
- Duso, C. (1991): Predatory activity and dispersal of Amblyseius aberrans (Oud.) and Typhlodromus pyri Scheuten (Phytoseiidae) in vineyard infested by Eotetranychus carpini (Oud.). [Orig.Ital.]. - Atti XVI Congr. naz. ital. di Entom., Bari: 355-362
- Duso, C./ Pasqualetto, C./ Camporese, P. (1991): Role of the predatory mites Amblyseius aberrans, Typhlodromus pyri and A. andersoni in vineyards.II. Minimum releases of A. aberrans and T. pyri to control spider mite populations. - J. Appl. Entomol. 112: 298-308
- Endris, J./ Koeniger, N. (1991): Versuche zur olfaktorischen Orientierung von Varroa jacobsoni auf Arbeiterinnen von *Apis mellifera*. - Apidologie 22,4: 462
- Fuchs, S. (1991): Kleine Volkseinheiten zur Bestimmung der Varroatoseanfälligkeit. - Apidologie 22,4: 463
- Glockemann, B. (1991): Raubmilben gegen Schadthripse. - TASPO Magazin 18,3: 18-19
- Imdorf, A./ Rickli, M. (1991): Varroabekämpfung mit ätherischen Ölen. - Apidologie 22,4: 417-421
- James, D.G./ Whitney, J. (1991): Biological control of Grapevine Mites in Inland Southeastern Australia. - Wine Industry Journal of Australia and N. Zealand: 210-214
- Koehler, H. (1991): Bodenzoologie (Mesofauna) - Bodenmikrobiologie; Erfahrungen aus interdisziplinärer Arbeit und Möglichkeiten einer Synthese im ökosystemaren Kontext. - In: Kaufmann/ Glockemann (Ed.); 7. Plenum Bodenmesofauna, Braunschweig 1990: xxx-xxx
- Kraus, B. (1991): Zwischenbericht zur Winterbehandlung mit Milchsäure als Varroatosetherapie. - Apidologie 22,4: 473
- Moosbeckhofer, R. (1991): Varroaverluste während der Überwinterung. - Bienenvater 112: 300-303
- Moretto, G./ Goncalves, L.S./ Jong, D. de (1991): Africanized bees are more efficient at removing Varroa jacobsoni - preliminary data. - Am. Bee J. 131: 434

- Moretto, G./ Goncalves, L.S./ Jong, D. de/ Bichuette, M.Z. (1991): The effects of climate and bee race on Varroa jacobsoni Oud. infestations in Brazil. - Apidologie 22,3: 197-203
- Morewood, W.D./ Gilkeson, L.A. (1991): Diapause induction in the thrips predator Amblyseius cucumeris (Acarina, Phytoseiidae) under greenhouse conditions. - Entomophaga 36: 253-263
- Morse, R.A./ Miska, D./ Masenheimer, J.A. (1991): Varroa resistance in U.S. honey bees. - Am. Bee J. 131: 433-434
- Mossadegh, M.S. (1991): Geographical distribution, levels of infestation and population density of the mite Eu-varroa sinhai Delfinado and Baker (Acarina, Mesostigmata) in *Apis florea* F colonies in Iran. - Apidologie 22: 127-134
- Nation, J.L./ Sanford, M.T./ Milne, K. (1991): Comparison of cuticular hydrocarbons from Varroa mites and honey bees. - Proc. American Bee Res. Conf., Am. Bee J. 127: 778-779
- Oomen, P.G./ Romeijn, G./ Wiegers, G.L. (1991): Side-effect of hundred pesticides on the predatory mite *Phytoseiulus persimilis*, collected and evaluated according to the EPPO-guideline. - Bulletin EPPO 21: xxx-xxx
- Otten, C. (1991): Vergleichende Untersuchungen zum Populationswachstum von Varroa jacobsoni in Völkern von *Apis mellifera* unterschiedlicher geographischer Herkunft. - Diss., Inst. f. Bienenk., Biol., Univ. Frankfurt/Main: xxx-xxx
- Otten, C. (1991): Faktoren und Auswirkungen einer unterschiedlichen Verteilung von Varroa jacobsoni zwischen Bienen und Bienenbrut. - Apidologie 22,4: 465
- Papadoulis, G.T./ Emmanouel, N.G. (1991): Two new species of the genus *Typhlodromus* Scheuten (Acar., Phytoseiidae) from Greece. - Ento Hellenica 8: 11-19
- Pavlovic, I./ Nesic, D. (1991): Parasitic fauna of poultry industry in the republic of Serbia in 1989. - Veterinarski Glasnik, Beograd 45: 245-247
- Pavlovic, N.I. (1991): Ecto and endoparasites of pheasants under artificially raised and measure to control them. - M.Sc.Thesis Fac. Vet. Med. Belgrade: xxx-xxx
- Peng, C./ Fang, Y./ Xu, S./ Ge, L. (1991): Der Resistenzmechanismus der Asiatischen Biene *A. cerana* gegen die Außenmilbe Varroa jacobsoni. - Allgemeine Deutsche Imkerzeitung 0,3: 13-16
- Peracchi, A.L. (1991): Contribucao ao estudo da familia Spelaeorhynchidae Oudemans, 1902 (Acarina, Mesostigmata). - Revta. Brasil. Zool. 7,1-2: 1-29
- Puschning, M./ Schettler-Wiegel, J./ Schulz-Berendt, V. (1991): Can soil animals be used to improve decontamination of oil residues in polluted soils? - In: Ravera (Ed.), Terrestrial and aquatic ecosystems: perturbation and recovery. E. Horwood Limited 5,16: 485-492
- Rademacher, E. (1991): Untersuchungen zum Milbeneintrag in Bienenvölker. - Neue Bienenzeitung 8: 25-28
- Rath, W. (1991): Investigations on the parasitic mites Varroa jacobsoni Oud. and Tropilaelaps clareae Delfinado & Baker and their hosts *Apis cerana* Fabr., *A. dorsata* Fabr. und *A. mellifera* L. - Diss. Rheinische Friedrich-Wilhelm-Univ. Bonn: xxx-xxx
- Rath, W. (1991): Erfahrungen mit Bienen und parasitischen Milben in Thailand. - Allgemeine Deutsche Imkerzeitung 0,3: 13-16
- Ruttner, F. (1991): Auf dem Wege zu einer varroatoleranten Carnica. - Allgemeine Deutsche Imkerzeitung 25,11: 10-15
- Ryu, M.O./ Ehara, S. (1991): Three phytoseiid mites from Korea (Acar., Phytoseiidae). - Acta arachn., Tokyo 40: 23-30
- Sakofski, F. (1991): Quantitative investigations on transfer of Varroa jacobsoni Oud. - Proc. Int. Symp. Bee Path. Gent Belgium 1990: 70-72
- Shereef, G.M./ Afifi, A.M./ Nawar, M.S./ Ahmed, M.A. (1991): Discourella aegypticus, a new uropodoid mite, with notes on its biology (Acar., Gamasida, Trachytidae). - Agricult. Res. Review: xxx-xxx
- Steiner, J. (1991): Oogenese und Embryogenese während des ersten Gonozyklus von Varroa jacobsoni. - Apidologie 22: 460-462
- Thrybom, B./ Fries, I. (1991): Development of infestations by Varroa jacobsoni in hybrid colonies of *Apis mellifera* monticola and *Apis mellifera* ligustica. - J. Apicul. Res. 30,3/4: 151-155
- Titera, D./ Vesely, V. (1991): Labor-Toxizitätsbewertung von Streifen mit langfristiger Wirkung gegen Varroatose. - Apidologie 22,4: 472
- Wieting, J./ Ferenz, H.J. (1991): Behavioral study on the invasion of honeybee brood by the mite Varroa jacobsoni on wax combs and ANP combs. - American Bee J. 131: 117-118

Wu Wie-Nan/ Lan Weng-Ming (1991): Two new species and one new record of the genus *Typhlodromus* from Northwest China (Acaria, Phytoseiidae). [Orig.Chin.]. - Acta Zoo-taxon. Sin. 16: 328-332

Yaninek, J.S./ Megevand, B./ Moraes, G.J. de/ Bakker, F./ Braun, A./ Herren, H.R. (1991): Establishment of the neotropical predator *Amblyseius idaeus* (Acaria, Phytoseiidae) in Benin, West Africa. - Biocontrol Science and Technology 1: 323-330

#### Publikationen - Ergänzung 1992

- Bär, E. (1992): Spezifisches Hygieneverhalten bei *Apis mellifera* gegenüber Varroainfizierten Brutzellen. - Hausarbeit, 1. Staatsprüfung, Bayerische Univ. Würzburg: xx-xx
- Bär, E./ Rosenkranz, P. (1992): Spezifische Putzverhalten von Honigbienen (*Apis mellifera*) unterschiedlicher Rassen gegenüber Varroainfizierten Brutzellen. - Ann. Univ. N. Curie-Skłodowska Lublin-Polonia 47,1: 1-6
- Baier, B./ Karg, W. (1992): Untersuchungen zur Biologie, Ökologie und Effektivität oligophager Raubmilben unter besonderer Berücksichtigung von *Amblyseius barkeri* (Hughes) (Acarina, Phytoseiidae). - Mitt. Biol. BA f. LF, Berlin-Dahlem 0,281: 1-88
- Bakker, F.M./ Grove, A./ Blümel, S./ Calis, J.N.M./ Oomen, P. (1992): Side-effect tests for phytoseiids and their rearing methods. - IOBC/WPRS Bulletin 15,3: 61-74
- Bakker, F.M./ Klein, M.E. (1992): How cassava plants enhance the efficacy of their phyto-seiid bodyguards. - In: Menken, S.B.J./ Visser, J.H./ Harrewijn, P. (Eds.), Proc. 8th Int. Symp. Insect-Plant Relationship, Dordrecht, Kluwer Acad. Publ.: 353-354
- Bakker, F.M./ Klein, M.E. (1992): Transtrophic interactions in cassava. - Exp. Appl. Acarol. 14: 293-311
- Beerling, E.A.M./ Geest, L.P.S van/ Sabelis, M.W. (1992): Epidemiology of microsporidia in mass rearings of the predatory mites, *Amblyseius cucumeris* and *A. barkeri*. - Abstracts 25th Annual Meeting of the Society for Invertebrate Pathology, Heidelberg 1992: 273
- Beerling, E.A.M./ Rouppe, J. van der Voort, Kwakman, P. (1992): Microsporidiosis in mass rearings of predatory mites: development of a screening method. - N.E.V., Amsterdam: 1
- Beetsma, J. (1992): Special issue: Varroa. (Elements for bibliography.) - Exp. Appl. Acarol. 16,4: 279-353
- Beetsma, J. (1992): Preface. Special Issue. Varroa. - Exp. Appl. Acarol. 16: 4-6
- Beetsma, J./ Zonneveld, K. (1992): Observations on the initiation and stimulation of oviposition of the Varroa mite. - Exp. Appl. Acarol. 16: 303-312
- Boecking, O. (1992): Varroa-Abwehr der Bienen. Abwehrmechanismen bei *A. cerana* und *A. mellifera*. - Deutsches Imker-Journal 11: 426-430
- Boecking, O. (1992): Untersuchungen über einen Abwehrmechanismus von *Apis mellifera* gegen die Varroa Milbe. - Allg. Dtsch. Imkerztg. 26: 22-27
- Boecking, O./ Rath, W./ Drescher, W. (1992): *Apis mellifera* removes Varroa jacobsoni and *Tropilaelaps clareae* from sealed brood cells in the topics. - Amer. Bee J. 132: 732-734
- Brodeur, J./ Cloutier, C. (1992): A modified leaf disk method for rearing predaceous mites (Acarina, Phytoseiidae). - Phyto-protection 73: 69-72
- Bruin, J./ Dicke, M./ Sabelis, M.W. (1992): Plants are better protected against spidermites after exposure to volatiles from infested conspecifics. - Experientia, Birkhäuser Verlag Basel: 525-529
- Bruin, J./ Groot, A.T./ Sabelis, M.W./ Dicke, M. (1992): Mite herbivory causes better protection in downwind uninfested plants. - In: Menken, S.B.J. et al. (Eds.), Proc. 8th Int. Symp. Insect-Plant Relationships, Dordrecht, Kluwer Acad. Publ.: 357-358
- Calis, J.N.M. (1992): Control of the Varroa mite by treatment of sealed honeybee brood with formic acid. - N.E.V., Amsterdam: 2
- Casanueva, M.E. (1992): Mites associated with *Apis mellifera* L.: I. Varroa jacobsoni, new record Oudemans and Melittiphis alvearius, new record (Berlese), new records for Chile. [Orig.Span.]. - Bol. Soc. Biol. Concepcion 63: 51-53
- Casanueva, M.E./ Johnston, D.E. (1992): Systematic studies on Jacobsonia (Acaria, Mesostigmata), a mite associated with Indo-Malaysian millipedes. - Bol. Soc. Biol. Concepcion 63: 55-63
- Charrière, J.D./ Imdorf, A./ Kilchenmann, V. (1992): Konzentration der Ameisensäure in der Stockluft von Bienenköpfen während der Anwendung gegen Varroa jacobsoni. - Allgemeine Deutsche Imkerzeitung 0,9: 12-16

- Chmielewski, W. (1992): Species composition and numerousnes of acarofauna in natural hive debris of wintering bee colonies. [Orig.Poln.]. - Pszczelnicze Zeszyty Naukowe 36: 74-90
- Chmielewski, W. (1992): Versuch, die Verletzungen am Körper der Milbe Varroa jacobsoni Oud. zu charakterisieren, die im Wintertotenfall vorkommt. [Orig.Poln.]. - Ann. Univ. M. Curie-Sklodowska Lublin-Polonia 47,4: 19-23
- Chmielewski, W. (1992): Varroa jacobsoni Oud. und andere Milben (Acarai) als Element der organischen Verunreinigung des Bienenhonigs. [Orig.Poln.]. - Ann. Univ. M. Curie-Sklodowska Lublin-Polonia 47,12: 65-67
- Colin, M.E./ Richard, D./ Fourcassie, V./ Belzunces, L.P. (1992): Attraction of Varroa jacobsoni, parasite of Apis mellifera by electrical charges. - J. Insect Physiol. 38,2: 111-117
- Croft, B.A./ MacRae, I.V. (1992): Persistence of Typhlodromus pyri and Metaseiulus occidentalis (Acari, Phytoseiidae) on apple after inoculative release and competition with Zetzelia mali (Acari, Stigmeidae). - Environ. Entomol. 21: 1168-1177
- Cuellar, M.E. (1992): Biosystematica de poblaciones de Amblyseius limonicus Garman and McGregor sensu la-to y sensu stricto (Phytoseiidae) y su importancia en el control de acaro verde de la yuca. - Undergraduate thesis, Univ. del Valle: 1-127
- Duso, C. (1992): Role of Amblyseius aberrans, Typhlodromus pyri and A. andersoni (Chant) in vineyards. III. Influence of variety characteristics on the success of A. aberrans and T. pyri releases. - J. Appl. Ent. 114: 455-462
- Duso, C. (1992): Biological control of tetranychid mites in peach orchards in Northern Italy: role of Amblyseius andersoni (Chant) and Amblyseius finlandicus (Oud.) (Acari, Phytoseiidae). - Acta Phytopathologica et Entomologica Hungarica 27,1-4: 211-217
- Duso, C./ Camporese, P./ Geest, L.P.S. van der (1992): Toxicity of a number of pesticides to strains of Typhlodromus pyri and Amblyseius andersoni (Acari, Phytoseiidae). - Entomophaga 37,3: 363-372
- Fain, A. (1992): Notes on the flower mites of the genus Rhinoseius Baker and Yunker, 1964 (Acari, Ascidae) phoretic in the nares of hummingbirds with a key to the known species. - Bull. Inst. Roy. Sci. Natur. Belgique, Entomol. 61: 117-136
- Feres, R.J.F./ Moraes, G.D. (1992): Phytoseiids (Acari, Phytoseiidae) from wild plants in Sao Jose do Rio Preto, State of Sao Paulo. [Orig.Span.]. - An. 3. Simp. Contr. Biol., Aguas de Lindoia 1992: 222
- Girolami, V./ Coiutti, C./ Picotti, P. (1992): Ruolo determinante del fitoseide Amblyseius aberrans (Oud.) nel controllo degli acari fitofagi. - L'Informatore agrario 28,27: 65-69
- Glockemann, B. (1992): Biological control of Frankliniella occidentalis on ornamental plants using predatory mites. - OEPP/EPPO Bulletin 22: 397-404
- Greati, M./ Milani, N./ Nazzi, F. (1992): Reinfestation of an acaricide-treated apiary by V. jacobsoni Oud.. - Exp. Appl. Acarol. 16: 279-286
- Haun, B. (1992): Beschädigungen von Varroa jacobsoni durch Beißverhalten von Apis mellifera (Resume). - I. Poln.-Deut. Symp. Varroatoseforsch. Szczecin: xxx-xxx
- Haun, B. (1992): Extremitätenverletzungen von Varroa jacobsoni durch Apis mellifera. - AG-Tagung Inst. Bienenforsch. Lehnitz/ Neuendorf: xxx-xxx
- Koeniger, N./ Koeniger, G./ Mardan, M./ Wongsiri, S. (1992): Possible effects of regular treatments of varroatosis on the host-parasite relationship between Apis mellifera and Varroa jacobsoni. - In: Connor, L.J. etc. (Eds.), Asian Apiculture, Proc. I. Int. Conf. on Asian Honey Bees & Bee Mites: 541-550
- Kulincevic, J.M./ Rinderer, T.E./ Mladjan, V.J./ Buco, S.M. (1992): Five years of bidirectional genetic selection for honey bees resistant and susceptible to Varroa jacobsoni. - Apidologie 23,5: 443-452
- Lodesani, M./ Pellacani, A./ Bergomi, S./ Carpana, E./ Rabitti, T./ Lasagni, P. (1992): Residue determination from some products used against Varroa infestation in bees. - Apidologie 23: 257-272
- Lou You-Zhen/ Yin Xui-Gong/ Tong Ying (1992): A new species of Phytoseiulus Ribaga. - J. Yunnan Agricult. Univ. 7,4: 215-216
- Marcangeli, J.A./ Egualas, M.J./ Fernandez, N.A. (1992): Reproduction of Varroa jacobsoni (Acari, Mesostigmata, Varroidae) in temperate climates in Argentina. - Apidologie 23,1: 57-60
- Marcangeli, J./ Monetti, L./ Fernandez, N. (1992): Malformations produced by Varroa jacobsoni on Apis mellifera in the province of Buenos Aires, Argentina. - Apidologie 23: 399-402
- Mendes, M.C./ Lizaso, N.M. (1992): Macrocheles novadessensis, sp.n. and Macrocheles roquensis, sp.n. collected in cattle manure from neotropical region. [Orig.Brasil.]. - Revta bras. Zool. 9,3/4: 357-365

- Milani, N./ Greatti, M./ Nazzi, F. (1992): Reinfestazione de Varroa jacobsoni: un problema sempre più grave. - Agricoltura Informazione 9: 13-15
- Moosbeckhofer, R. (1992): Beschädigte Varroa-Milben im natürlichen Totenfall bei Völkern von *Apis mellifera carnica*. (Resumé). - I. Poln.-Deut. Symp. Varroatoseforsch. Szczecin: xxx-xxx
- Moosbeckhofer, R. (1992): Beobachtungen zum Auftreten beschädigter Varroamilben im natürlichen Totenfall von *Apis mellifera carnica*. - Apidologie 23: 523-531
- Moraes, G.J./ Silva, C.A.D./ Delalibera, I. (1992): Alternative substrates for *Amblyseius limonicus* (Garman & McGregor) S.L., a mite predator of *Mononychellus tanajoa* (Bondar). [Orig.Span.]. - An. 3. Simp. Contr. Biol., Aguas de Lindoia 1992: 221
- Noronha, A.C.S./ Moraes, G.J. (1992): Survival and development of *Amblyseius limonicus* (Garman & McGregor) S.L. (Acarai, Phyto-selidae) feeding on Whitefly. [Orig.Span.]. - An. 3. Simp. Contr. Biol., Aguas de Lindoia 1991: 203
- Nuzzaci, G./ Lillo, E. de (1992): Functional morphology of the mouthparts in *Varroa jacobsoni* Oudemans female (Acarai, Varro-idae). - 2. Symp. Europ. Ass. Acarol. EURAAC, Krynica, Poland: 60
- Pavlovic, I./ Milkovic, B. (1992): Susbjanje ektoparasitose shiwanje usrokowanesa *Menacanthus stramineus* (Nitzsch, 1818) i *Derma-nyssus gallinae* (Degerr, 1778) primenom Bar-ricade EC20. - Sbornik Radova, ICN Galenika: 131-134
- Rath, W. (1992): The key to Varroa: the drones of *Apis cerana* and their cell cap. - Am. Bee J. 128: 329-331
- Rath, W. (1992): Der Schlüssel für Varroa: Die *Apis cerana*-Drohnen und ihr Zeldeckel. - ADIZ 26:1 2-14
- Ribeiro, V.L.S./ Moojen, V./ Telles, A.P.D. (1992): *Ornithonyssus bursa*: parasito de aves causando acariases em humanos no Rio Grande do Sul. - An. Brasil. Dermatol. 67,1: 31-34
- Ritter, W. (1992): Behandlung der Varroatose: Was ist noch zu tun? - Allgemeine Deutsche Imkerzeitung 0,9: 6-7
- Rosenkranz, P./ Stürmer, M. (1992): Ernährungsabhängige Fertilität der Varroa-Weibchen in Arbeiterinnen-Brut von *Apis mellifera carnica* und *Apis mellifera capensis*. - Ann. Univ. M. Curie-Skłodowska Lublin-Polonia 47,10: 55-60
- Rosenkranz, P./ Tewarson, N.C. (1992): Experimental infection of *Apis cerana indica* worker brood with Varroa females. - Apidologie 23,4: 365-367
- Ruttner, F./ Hänel, H. (1992): Active defense against Varroa mites in a Carniolan strain of honeybee (*Apis mellifera carnica*) Pollmann. - Apidologie 23: 173-187
- Sabelis, M.W. (1992): Kairomone / synonome-mediated dispersal behaviour of phytoseiid mites: its evolution and consequences for population dynamics. - Proc. XIX Int. Congr. Entomol., Beijing, China: 200
- Sabelis, M.W./ Nagelkerke, C.J. (1992): Sex allocation and pseudoarrhenotoky in phytoseiid mites. - In: Wrensch, D.L./ Ebbert, M.A., Evolution and Diversity of Sex Ration in Insects and Mites, Chapman & Hall Ltd., New York: 512-541
- Sagdieva, P./ Stanjukovich, M./ Perov, M. (1992): Studies on gamasid mites parasitic on bats in Georgia. - Bull. Acad. Sci. Georgia, Zool. 145,1: 157-160
- Schausberger, P. (1992): Investigations on the influence of the predator population density on the rate of oviposition in *Amblyseius finlandicus* Oud. (Acarai, Phytoseiidae). - Anz. Schädlingskde., Pflanzenschutz, Umweltschutz 65: 36-39
- Schelvis, J./ Ervynck, A. (1992): Mites as ecological indicators in Archaeology. A Case-study in Roman Oudenburg (West-Flanders). [Orig.Niederländ.]. - Archeologie in Vlaanderen 2: 175-189
- Schicha, E./ Corpuz-Raros, L.A. (1992): Phytoseiidae of the Philippines. - pbk Indira: 1-190
- Schlosser, H.J./ Riepert, F. (1992): Entwicklung eines Prüfverfahrens für Chemikalien an Bodenraubmilben (Gamasina). Teil 1. Biologie der Bodenraubmilbe *Hypoaspis aculeifer* Can., 1883 unter Laborbedingungen. - Zool. Beitr. N. F. 34,3: 395-412
- Schlosser, H.J./ Riepert, F. (1992): Entwicklung eines Prüfverfahrens für Chemikalien an Bodenraubmilben (Gamasina). Teil 2. Erste Ergebnisse mit Lindan und Kaliumdichromat in subletaler Dosierung. - Zool. Beitr. N. F. 34,3: 413-433
- Schmölzer, K. (1992): Neue Höhlenmilben aus Kärnten (Acarina, Parasitiformes). - Carinthia II 182/102: 611-620
- Schwarz, H.H./ Müller, J.K. (1992): The dispersal behaviour of the phoretic mite *Poecilocirus carabi* (Mesostigmata, Parasi-tidae): adaptation to the breeding biology of its carrier *Necrophorus vespilloides*. - Oecologia 89: 487-493

- Steiner, J. (1992): Reproduktion der ektoparasitischen Bienenmilbe Varroa jacobsoni in Völkern von Apis mellifera carnica. - Diss. E.-Karls-Univ. Tübingen, Fak. f. Biol.: xxxx-xxx
- Takabayashi, J./ Dicke, M. (1992): Response of predatory mites with different rearing histories to volatiles of uninfested plants. - Entomologia Experimentalis et Applicata 64: 187-193
- Tewarson, N.C./ Singh, A./ Engles, W. (1992): Reproduction of Varroa jacobsoni in colonies of Apis cerana indica under natural and experimental conditions. - Apidologie 23: 161-171
- Urhan, R./ Ayyildiz, N. (1992): A Prozercon Sellnick, 1943 species new to the Turkish fauna (Acari, Mesostigmata, Zerconidae). [Orig.Türk.]. - Tr. J. Zoology 17: 83-89
- Veerman, A. (1992): Diapause in phytoseiid mites: a review. - Exp. Appl. Acarol. 14: 1-60
- Vettorello, G./ Girolami, V. (1992): Popolazioni di Amblyseius aberrans (Oud.) tolleranti i dioti carbammati. - L'informatore agrario 48,18: 111-112
- Wallner, A. (1992): Meßbare natürliche Varroa-Abwehr. - Imkerfreund 46: 16-17
- Wallner, K. (1992): Diffusion varroazider Wirkstoffe aus dem Wachs in den Honig. - Apidologie 23: 387-389
- Watanabe, M.A./ Moraes, G.J./ Gastaldo, I. (1992): Effect of different pesticides on the predatory mites Phytoseiulus macropilis e Amblyseius idaeus (Acari, Phytoseiidae). [Orig.Span.]. - An. 3. Simp. Contr. Biol., Aguas de Lindoia: 264
- Wilde, J./ Koeniger, N. (1992): Selektion auf Verkürzung der Zellverdeckelungsdauer (ZVD) der Arbeiterinnenbrut von Apis mellifera carnica. - Ann. Univ. M. Curie-Sklodowska Lublin-Polenia 47,25: 133-136
- Wu Wie-Nan/ Lan Weng-Ming/ Zhang S. (1992): New species and new records of phytoseiid mites from Northeast China III (Acari, Phytoseiidae). [Orig.Chin.]. - Acta Zootaxon. Sin. 17: 48-56
- Yaninek, J.S./ Megeavand, B./ Moraes, G.J./ de Bakker, F./ Braun, A./ Herren, H.R. (1992): Establishment of the neotropical predator Amblyseius idaeus (Acari, Phytoseiidae) in Benin, West Africa. - Biocontrol Science and Technology 1: 323-330
- Yin Sui-Gong et al. (1992): Phytoseius dandongensis sp. nov. [Orig.Chin.]. - Acta Entomologica Sinica 35,3: 372-373
- Yin Sui-Gong et al. (1992): Eviphis dalianensis sp. nov. [Orig.Chin.]. - Acta Zootaxonomica Sinica 17,4: 435-437
- Yin Sui-Gong/ Bei Naxin (1992): Two new species of the genus Iphiseius from China (Acari, Phytoseiidae). [Orig.Chin.]. - Journ. Shenyang Agricult. Univ. 23,4: 231-235

#### Publikationen - erschienen 1993

- Ageeva, T.Z. (1993): Fauna and composition of mesostigmatous mites (Acari, Mesostigmata) in the natural soils of City Forest-Parks. [Orig.Russ.]. - Ser. Biol. 4: 579-591
- Alberti, G./ Blaszak, C. (1993): Further observations on spermatozoa in gamasid mites. - 2nd Symp. Europ. Acad. 1992 Krynicza, Poland: im Druck
- Ambros, M. (1993): Mites (Acari, Mesostigmata) from small mammals (Insectivora and Rodentia) in the Bükk Mts. (Hungary). - The Fauna of the Bükk National Park, Budapest 7: 449-456
- Aponte, O./ McMurtry, J.A. (1993): Phytoseiid mites of Venezuela (Acari, Phytoseiidae). - Internat. J. Acarol. 19,2: 149-157
- Athias-Binche, F. (1993): Dispersal in varying environments: the case of phoretic uropodid mites. - Can. J. Zool. 71: 1793-1798
- Baggio, D./ Flechtmann, C.H.W. (1993): Um metodo pouco conhecido de dispersao do „piolinho“ (acaro) Dermannys gallinae (DeGeer), da galinha. - Res. 14. Congr. Brasil. Entomol., Piracicaba 1993: 728
- Bakker, F.M./ Klein, M.E./ Mesa, N.C./ Braun, A.R. (1993): Saturation deficit tolerance spectra of phytophagous mites and their phytoseiid predators on cassava. - Exp. Appl. Acarol. 17: 97-113
- Beckmann, M. (1993): Die Kleintierwelt in Kompostmieten und Komposten. - Inf. Natursch. Landschaftspfl., Warzenburg 6: 387-396
- Beerling, E.A.M./ Rouppe van der Voort, J.N.A.M./ Kwakman, P. (1993): Microsporidiosis in mass rearings of predatory mites: development of a detection method. - Proc. Exper. & Appl. Entomol., N.E.V. Amsterdam 4: 199-204
- Binnik, E.N. (1993): New mite species of the genus Gamasellus (Parasitiformes, Gamasoidea) from Adzharia. [Orig.Russ.]. - Vestn. Zool. 0,1: 26-34

- Blaszak, C./ Ehrnsberger, R. (1993): Beiträge zur Kenntnis von Halolaelaps (*Saprogamasellus*) Götz, 1952 (Acarı, Gamasida, Halolaelapidae). - Genus, Wrocław 4,3: 143-267
- Blaszak, C./ Madej, G. (1993): Gamasina-Milben als differenzierendes Faunenelement in verschiedenen Waldtypen. - Inf. Natursch. Landschaftspfl., Wardenburg 6: 166-170
- Błoszyk, J. (1993): Uropodina (Acarı, Mesostigmata) of pine forests in Poland. - Fragmenta Faunistica 36,11: 175-183
- Blümel, S./ Bakker, F./ Grove, A. (1993): Evaluation of different methods to assess the side-effects of pesticides on Phytoseiulus persimilis A.-H. - Exp. Appl. Acarol. 17,3: 161-169
- Blümel, S./ Stolz, M. (1993): Untersuchungen über die Wirksamkeit von Insektenwachstumregulatoren und Inhibitoren auf die Raubmilbe Phytoseiulus persimilis A.H. unter besonderer Berücksichtigung von Cyromazin. - Zeitschr. f. Pflanzenkrankh. u. Pflanzenschutz 100,2: 150-154
- Boecking, O. (1993): Vergleich der Abwehrmechanismen von *Apis cerana* und *Apis mellifera* gegen die Varroa Milbe. - ADIZ 27: 23-27
- Boecking, O./ Drescher, W. (1993): Preliminary data on the response of *Apis mellifera* to brood infested with Varroa jacobsoni and the effect of this resistance mechanism. - In: Conner, L.J. et al. (Eds.), Asian Apiculture, Wicwas Press, Cheshire: 454-462
- Boecking, O./ Ritter, W. (1993): Grooming and removal behaviour of *Apis mellifera intermissa* in Tunisia against Varroa jacobsoni. - J. Apicult. Res. 32,3/4: 127-134
- Boecking, O./ Ritter, W. (1993): Behavioral strategies of *Apis mellifera* and *Apis cerana* bees against Varroa jacobsoni. - Int. J. Acarol. 19,2:1 73-177
- Boot, W.J./ Calis, J.N./ Beetsma, J. (1993): Invasion of Varroa jacobsoni into honey bee brood cells: a matter of chance or choice? - J. Apicult. Res. 32,3/4: 167-174
- Braun, A.R./ Lenis, J.I./ Guerrero, J.M./ Melo, E.L./ Moraes, G.J. de (1993): Inventario de acaros fitofagos y sus enemigos naturales en el cultivo de la Yuca en el Ecuador. - Mem. VII. Sem. Sanidad Vegetal 1992 Riobamba, Ecuador: im Druck
- Braun, A.R./ Mesa, A.C./ Cuellar, M.E./ Melo, E.L./ Moraes, G.J. (1993): Biosystematics of phytoseiid mites (Acarı, Phytoseiidae) associated with cassava. - Exp. Appl. Acarol. 17: 205-213
- Büchlér, R. (1993): Der Anteil beschädigter Varroamilben im natürlichen Totenfall im Hinblick auf Saisoneinflüsse und Befallsentwicklung. - Apidologie 24: 492-493
- Buryn, R. (1993): Auswirkungen von Pflegemaßnahmen (Schafbeweidung oder Mahd) auf Gamasida auf Magerrasen. - Inf. Natursch. Landschaftspfl., Wardenburg 6: 280-293
- Buryn, R. (1993): Die oberfränkischen Hecken als Lebensraum für Bodentiere / Mesostigmata. - Inf. Natursch. Landschaftspfl., Wardenburg 6: 294-308
- Butz-Strazny, F./ Ehrnsberger, R. (1993): Auswirkungen von mineralischer und organischer Düngung auf Mesostigmata (Raubmilben) und Collembola (Springschwänze) im Ackerboden. - Inf. Natursch. Landschaftspfl., Wardenburg 6: 220-248
- Calatayud, F./ Verdu, M.J. (1993): Hive debris counts in honeybee colonies: a method to estimate the size of small populations and rate of growth of the mite Varroa jacobsoni Oud. (Mesostigmata, Varroidae). - Exp. Appl. Acarol. 17,12: 889-894
- Camazine, S./ Fries, I./ Sneyd, J. (1993): Population dynamics of Varroa jacobsoni: a model and a review. - Bee World: im Druck
- Cansas, S. (1993): Varroa, Nueva señal de alarma. - Vida apícola 60: 12-13
- Chant, D.A. (1993): Discontinuous variation in the suppression of idiosomal setae in the family Phytoseiidae (Acarı, Gamasina). - Exp. Appl. Acarol. 17: 187-195
- Chant, D.A. (1993): Adaptive radiation in the family Phytoseiidae (Acarı, Gamasina) as reflected by adult idiosomal setation. - Internat. J. Acarol. 19,3: 203-231
- Chant, D.A. (1993): Paedomorphosis in the family Phytoseiidae (Acarı, Gamasina). - Can. J. Zool. 71: 1334-1349
- Christian, A. (1993): Untersuchungen zur Entwicklung der Raubmilbenfauna (Gamasina) der Halden des Braunkohletagebaues Berzdorf/OL. - Abh. Ber. Naturkundemus. Görlitz 67,2:2-64
- Clements, D.R./ Harmsen, R. (1993): Prey preferences of adult and immature *Zetzelia mali* Ewing (Acarı, Stigmataeidae) and *Typhlodromus caudiglans* Schuster (Acarı, Phytoseiidae). - Canad. Entomologist 125,5: 967-969

- Cloutier, C./ Johnson, S.G. (1993): Predation by *Orius tristicolor* (Hemiptera, Anthocoridae) on *Phytoseiulus persimilis* (Acarina, Phytoseiidae): Testing for compatibility between biocontrol agents. - Environ. Entomol. 22,2: 477-482
- Cloutier, C./ Johnson, S.G. (1993): Interaction between life stages in a phytoseiid predator: western flower thrips prey killed by adults as food for protonymphs of *Amblyseius cucumeris*. - Exp. Appl. Acarol. 17,6: 441-450
- Colombo, M./ Lodesani, M./ Spreafico, M. (1993): Resistenza di Varroa jacobsoni (Oud.) a flavalinate: primi risultati di indagini condotte in Lombardia. - L'ape nostra amica 9/10: xxx-xxx
- Croft, B.A./ Croft, M.B. (1993): Larval survival and feeding by immature *Metaseiulus occidentalis*, *Neoseiulus fallacis*, *Amblyseius andersoni* and *T. pyri* on life stage groups of *T. urticae* and phytoseiid larvae. - Exp. Appl. Acarol. 17,9: 685-694
- Croft, B.A./ Strong, W.B./ Messing, R.H./ Dunley, J.E. (1993): Effects of humidity on eggs and immatures of *Neoseiulus fallacis*, *Amblyseius andersoni*, *Metaseiulus occidentalis* and *Typhlodromus pyri*: implications for biological control on ... - Exp. Appl. Acarol. 17,6: 451-460
- Cuellar, M.E./ Mesa, M.C./ Braun, A.R./ Duque, M.C./ Melo, E.L. (1993): Diferenciacion de problemas de *Amblyseius limonicus* Garman y McGeer en sensu lato (Acarina, Phytoseiidae), predador de acaros en el cultivo de la yuca. - Rev. Col. Entomol.: im Druck
- Denmark, H.A. (1993): Revision of the genus *Phytodromus Muma* (Acari, Phytoseiidae). - Int. J. Acarol. 19,2: 107-121
- Denmark, H.A./ Kolodochka, L.A. (1993): Revision of the genus *Indoseiulus Ehara* (Acari, Phytoseiidae). - Int. J. Acarol. 19,3: 249-257
- Dicke, M./ Bruun, J./ Sabelis, M.W. (1993): Herbivoreinduced plant volatiles mediate plant-carnivore, plant-herbivore, and plant-plant interactions: talking plants revisited. - Amer. Soc. Plant Physiologists: 182-196
- Dicke, M./ Sabelis, M.W. (1993): Costs and benefits of chemical information conveyance: proximate and ultimate factors. - In: Roitberg, B.D./ Isman, M.B. (Eds), Insect Chemical Ecology, an Evolutionary Approach, Chapman & Hall New York, London: 122-155
- Drescher, W./ Hoffmann, S. (1993): Unterschiedliche Verhaltensmerkmale der Bienenvölker mit unterschiedlichen genetischen Ursprung und im Verhältnis zur Wiederansteckung mit Varroa. - Apimondia 33: im Druck
- Drukker, B./ Yaninek, J.S./ Herren, H.R. (1993): A packaging and delivery system for aerial release of Phytoseiidae for biological control. - Exp. Appl. Acarol. 17,1/2: 129-143
- Duso, C./ Pasqualetto, C. (1993): Factors affecting the potential of phytoseiid mites (Acari, Phytoseiidae) as bio-control agents in North-Italian vineyards. - Exp. Appl. Acarol. 17,4: 241-258
- Ehara, S. (1993): Phytoseiidae. In: Ehara, S./ Tsurusaki, N. (Eds.): Tottori's Outstanding Nature. Animals and Their Conservation. [Orig.Jpn.]. - Tottori Prefectural Office, Tottori: 192-201
- Ehara, S./ Amano, H. (1993): Phytoseiidae. In: Ehara, S. (Ed.): Plant Mites of Japan in Colors. [Orig.Jpn.]. - Zen-koku Noson Kyoiku Kyokai, Tokyo: 2-21
- Ehrnsberger, R. (1993): Bodenzoologie und Agrarökosysteme. - Inf. Natursch. Landschaftspfl., Wardenburg 6: 11-41
- Ehrnsberger, R. (Hrsg.) (1993): Bodenmesofauna und Naturschutz. Bedeutung und Auswirkungen von anthropogenen Maßnahmen. - Inf. zu Natursch. u. Landschaftspfl. in NW-Dtschl. 6: 5-452
- Ehrnsberger, R./ Butz-Strazny, F. (1993): Auswirkung von unterschiedlicher Bodenbearbeitung (Grubber und Pflug) auf die Milbenfauna im Ackerboden. - Inf. Natursch. Landschaftspfl., Wardenburg 6: 188-208
- Elzinga, R.J. (1993): Larvamimidae, a new family of mites (Acari, Dermanyssidoidea) associated with army ants. - Acarologia 34,2: 95-104
- El-Banhawy, E.M./ Carter, N./ Wynne, I.R. (1993): Preliminary observations on the population development of anystid and freeliving mesostigmatic mites in a cereal field in Southern England. - Exp. Appl. Acarol. 17,7: 541-550
- Fain, A./ Galloway, T.D. (1993): Mites (Acari) from nests of sea birds in New Zealand. II. Mesostigmata and Astigmata. - Bull. de l'Inst. Royal Sci. Nat. de Belg., Entom. 63: 95-111
- Fain, A./ Pereira-Lorenzo, A. (1993): *Echinonyxus galiciae*, new species (Acari, Laelapidae) from *Talpa caeca* Savi in Spain. - Int. J. Acarol. 19,2: 123-126
- Farrier, M.H./ Hennessey, M.K. (1993): Soilinhabiting and freeliving Mesostigmata (Acari, Parasitiformes) from North America. An annotated checklist with bibliography and index. - Publ. Entomol. North Carol. State Univ.: 1-244

- Flechtmann, C.H.W. (1993): On phoresy of hematophagous ectoparasitic Acari (Parasitiformes, Ixodidae and Dermanyssidae) on Coleoptera observed in Brazil. - Internat. J. Acarol., Shorte Note 19,2: 195-196
- Glockemann, B. (1993): Bekämpfung von Frankliniella occidentalis mit zwei Raubmilbenarten in Saintpaulia ionantha und Pelargoniumzonale-Hybriden. - Mitt. Deutsch. Phytomedizinischen Gesell. 23,2: 35
- Goetz, B./ Koeniger, N. (1993): The distance between larva and cell opening triggers broodcell invasion by Varroa jacobsoni. - Apidologie 24: 67-72
- Gondim Junior, M.G.C./ Moraes, G.J./ Oliveira, J.V./ Barros, R./ Pereira, L.L.L. (1993): Biologia comparada de Neoseiulus anonymous (Chant & Baker, 1965). - Res. 14. Congr. Brasil. Entomol., Piracicaba 1993: 726
- Gorirossi-Bourdeau, F. (1993): Redescription of Oplitis paradoxus (Canestrini & Berlese, 1884), and the description of Oplitis farrieri, a new species (Mesostigmata, Uropodina, Oplitidae). - Bull. Annls. Soc. r. belge Ent. 129: 359-394
- Grafton-Cardwell, E.E./ Ouyang, Y. (1993): Toxicity of four insecticides to various populations of the predacious mite, Euseius tularensis Congdon (Acarina, Phytoseiidae) from San Joaquin Valley California citrus. - J. Agric. Entomol. 10,1: 21-29
- Guzman, L.I. de/ Rinderer, T.E./ Beaman, L.D. (1993): Survival of Varroa jacobsoni Oud. (Acarini, Varroidae) away from its living host Apis mellifera L. - Exp. Appl. Acarol. 17,4: 283-290
- Haitlinger, R. (1993): Mites (Acarini) occurring on Geotrupes spiniger Marsh. and G. stercorarius (L.) (Insecta, Scarabaeidae) in Poland. - Wiad. Parazytol. 39,4: 415-424
- Halliday, R.B. (1993): Two new species of Macrocheles from Australia (Acarina, Mesostigmata, Macrochelidae). - Aust. Entomologist 20,3: 99-106
- Halliday, R.B. (1993): A new species of Scissuralaelaps Womersley (Acarina, Laelapidae) associated with large Australian cock-roaches. - J. Aust. ent. Soc. 32: 347-353
- Haun, B. (1993): Verletzungen von Varroa jacobsoni durch A. m. carnica. - AG-Tagung Inst. Bienenforsch. Münster/ Sassenford: xxx-xxx
- Heisler, C. (1993): Einfluß von mechanischen Bodenbelastungen (Verdichtung) auf Raubmilben und Collembolen in landwirtschaftlich intensiv genutzten Flächen. - Inf. Natursch. Landschaftspfl., Wardenburg 6: 209-219
- Heldt, S. (1993): Die Raubmilbenfauna (Acarini, Gamasina) Bremens - Vergleich der Besiedlung ausgewählter Standorte im Bürgerpark sowie eine vorläufige Bestandsaufnahme. - Diplomarb. Univ. Bremen: 1-89
- Hirschmann, W. (1993): Gangsystematik der Parasitiformes Teil 550. Bestimmungstabellen der Uropodiden der Erde. Atlas der Ganggattungen der Atrichopygiida. - Acarologie, Hirschmann-Verlag Nürnberg 40: 292-370
- Hirschmann, W./ Wisniewski, J. (1993): Supercohors Atrichopygiida Hirschmann, 1975. Die Uropodiden der Erde. - Acarologie, Hirschmann-Verlag Nürnberg 40: 1-466
- Hoffmann, S. (1993): Das Auftreten beschädigter Milben im Labortest und unter Feldbedingungen bei verschiedenen Carnica-Linien-Kombinationen. - Apidologie 24: 493-494
- Hunter, P.E. (1993): Two new genera, Crasso-seta, new genus and Brachysternopsis, new genus, of the family Dioplogyniidae (Acarini, Mesostigmata, Trigynaspida). - Zool. Scr. 22,1: 91-99
- Hunter, P.E. (1993): A new family of mites, Costacaridae (Mesostigmata, Trigynaspida, Celaenopsoidea), associated with millipedes in Mexico. - Isr. J. Zool. 39,2: 185-191
- Ishikawa, K. (1993): Occurrence of Holoaspulus (Acarina, Gamasida, Parholaspidae) in the Philippines. - Bull. Natl. Sci. Mus. Ser. A (Zool.), 19,3: 93-110
- James, D.G. (1993): Pollen, mould mites and fungi: improvements to mass rearing of Typhlodromus doreenae and Amblyseius victoriensis. - Exp. Appl. Acarol. 17: 271-276
- James, D.G./ Taylor, A. (1993): Predator population density influences oviposition rate in Amblyseius victoriensis Womersley and Typhlodromus doreenae Schicha. - Int. J. Acarol. 19,2: 189-191
- James, D.G./ Whitney, J. (1993): Mite populations on grapevines in southeastern Australia: Implications for biological control of grapevine mites (Acarina, Tenuipalpidae, Eriophyidae). - Exp. Appl. Acarol. 17: 259-270
- Janssen, A./ Yaninek, J.S. (1993): Cassava green mites: A challenge for experts in biological control. - Exp. Appl. Acarol. 17,1/2: 1-4
- Kabicek, J. (1993): The storage of the predatory mite Amblyseius barkeri (Acarina, Phytoseiidae). [Orig.Czech.]. - Ochr. Rostl. 29,2: 125-129
- Kampmann, Th. (1993): Untersuchungen zu Auswirkungen unterschiedlicher ackerbaulicher Produktionssysteme (Dünger, Pflanzenschutzmittel) auf Bodenmilben. - Inf. Natursch. Landschaftspfl., Wardenburg 6: 249-260

- Karg, W. (1993): Zur Kenntnis der Raubmilbengattung *Gamasiphis* Berlese, 1904 (Acarina, Parasitiformes). - Zool. Jb. Syst. 120: 169-188
- Karg, W. (1993): Erkennen von nützlichen und schädlichen Milben. - Mikrokosmos 82,1: 42-49
- Karg, W. (1993): Neue Raubmilben der Rhodacaridae Oudemans (Acarina, Parasitiformes) aus Neu-Kaledonien. - Zool. Jb. Syst. 120: 39-63
- Karg, W. (1993): Bedeutung von Massenansammlungen und Lebensweise mikroskopisch kleiner Bodentiere in Treiberden unter Glas. - Mikrokosmos 82,6: 343-348
- Karg, W. (1993): Raubmilbenarten in Boden- sowie Vegetationsschichten und ihre Eignung als Indikatoren für Agrochemikalien. - Anz. Schädlingskde., Pflanzenschutz, Umweltschutz 66: 126-131
- Karg, W. (1993): Raubmilben der Hypoaspidae, Laelapidae und Phytoseiidae auf dem Galapagos-Archipel (Acarina, Parasitiformes). - Mitt. Zool. Mus. Berl. 69,2: 261-284
- Karg, W. (1993): Acari (Acarina), Milben. Parasitiformes (Anactinochaeta). Cohors Gamasina Leach. Raubmilben. - In: Dahl, F., Die Tierwelt Deutschlands 59. Teil, Gustav Fischer Verlag Jena: 1-53
- Kim Dong-Soo/ Lee Joon-Ho (1993): Functional response of *Amblyseius longispinosus* (Acari, Phytoseiidae) to *Tetranychus urticae* (Acari, Tetranychidae): effects of prey density, distribution, and arena size. - Korean. J. Appl. Entomol. 32,1: 61-67
- Koehler, H. (1993): Extraktionsmethoden für Bodenmesofauna. - In: Ehrnsberger, R.(Ed.): Bodenmesofauna und Naturschutz - Bedeutung und Auswirkungen von anthropogenen Maßnahmen, Inf. Natursch. Landschaftspfl., Wardenburg 6: 42-52
- Koehler, H. (1993): Chemikalienwirkung auf Bodenmesofauna am Beispiel des Pestizids Aldicarb. - Inf. Natursch. Landschaftspfl., Wardenburg 6: 324-339
- Koehler, H. (1993): Bodenzoologie (Mesofauna) - Bodenmikrobiologie Erfahrungen aus interdisziplinärer Arbeit und Möglichkeiten einer Synthese im ökosystemaren Kontext. - Mitt. Dtsch. Ges. Allg. Angew. Ent., Gießen 8: 555-562
- Köhler, K./ Buryn, R./ Klautke, S. (1993): Räuberisch lebende Bodenmilben als Bioindikatoren für Rotteprozesse. - Unterricht Biologie: 196
- Koeniger, N./ Koeniger, G./ Guzman, L. de/ Lekprayoon, C. (1993): Survival of *Evarroa sinhai* Delfinado and Baker (Acar, Varroidae) on workers of *Apis cerana* Fabr., *Apis florea* Fabr. and *Apis mellifera* L. in cages. - Apidologie 24: 403-410
- Kolodochka, L.A. (1993): New species of phytoseiid mites (Parasitiformes, Phytoseiidae) with redescriptions of *Kuzinellus bregetovae*. - Vestn. zool. 2: 19-25
- Kolodochka, L.A./ Bondarenko, L.V. (1993): The plantdwelling phytoseiid mites of the black sea reserve, with description of two new *Amblyseius* species. [Orig.Russ.]. - Vestn. zool. 4: 31-38
- Kratzmann, M./ Ludwig, M./ Blaszak, C./ Alberti, G. (1993): Mikroarthropoden: Reaktionen auf Bodenversauerung, Kompensationskalkungen und Schwermetalle. - Inf.Natursch. Landschaftspfl., Wardenburg 6: 94-110
- Kumar, N.R./ Kumar, R./ Mbaya, J./ Mwangi, R.W. (1993): *Tropilaelaps clareae* found on *Apis mellifera* in Africa. - Bee World 74: 101-102
- Kumar, R./ Kumar, N.R./ Bhalla, O.P. (1993): Studies on the development biology of *Tropilaelaps clareae* Delfinado and Baker (Acarina, Laelapidae) vis a vis the threshold stage in the life cycle of *Apis mellifera* Linn. - Exp. Appl. Acarol. 17,8: 621-626
- Lawson, A.B./ Walde, S.J. (1993): Comparison of the responses of two predaceous mites, *Typhlodromus pyri* and *Zetcellia mali*, to variation in prey density. - Exp. Appl. Acarol. 17,11:811-822
- Lindquist, E.E./ Moraza, M.L. (1993): Pyrosejidae, a new family of trigynaspid mites (Acari, Mesostigmata, Cercoegistica) from Middle America. - Acarologia 34,4: 283-307
- Lübben, B./ Glockemann, B. (1993): Untersuchungen zum Einfluß von Klärschlamm und Schwermetallen auf Collembolen und Gamasiden im Ackerboden. - Inf. Natursch. Landschaftspfl., Wardenburg 6: 261-279
- Madej, G./ Blaszak, C. (1993): Untersuchungen über die Sukzession der Mesostigmata-Fauna (Acarina) auf verschiedenen alten Brachfeldern mit Galmei- und Bleiglanzbraum im Bergbau. - Inf. Natursch. Landschaftspfl., Wardenburg 6: 397-400
- Makarova, O.L. (1993): Gamasid mites of the genus *Crassicheles* (Mesostigmata, Eviphididae) in Russia and Ontogenesis of *Crassicheles greeni*. [Orig.Russ.]. - Zool. Zhurn. 72,12: 15-24
- Marletto, F. (1993): En Italia se recrudece la varroasis. - Vida apicola 60: 13-15

- Maurer, V./ Baumgärtner, J./ Bieri, M./ Fölsch, D.W. (1993): The occurrence of the chicken mite *Dermanyssus gallinae* (Acaria, Dermanyssidae) in Swiss poultry houses. - Mitt. Schweiz. Entomol. Gesell. 66: 87-97
- Megevand, B./ Klay, A./ Gnanvossou, D./ Paraiso, G. (1993): Maintenance and mass rearing of phytoseiid predators of the cassava green mite. - Exp. Appl. Acarol. 17,1/2: 115-128
- Momen, F.M./ El-Saway, S.A. (1993): Biology and feeding behaviour of the predator mite, *Amblyseius swirskii* (Acaria, Phytoseiidae). - Acarologia 34,3: 199-204
- Moraes, G.J./ Alencar, J.A./ Lima, J.L.S./ Yaninek, J.S./ Delalibera, I. (1993): Alternative plant habitats for common phytoseiid predators of the cassava green mite (Acaria, Phytoseiidae, Tetranychidae) in Northeast Brazil. - Exp. Appl. Acarol. 17,1/2: 77-90
- Moraza, M.L. (1993): Two new species of *Pachyseius* Berlese, 1910 from Spain (Acaria, Mesostigmata, Pachylaelapidae). - Acarologia 34,2: 89-94
- Mossadegh, M.S. (1993): Fresh news on Euvorroa. - World News : 44-45
- Nawar, M.S./ Shereef, G.M./ Ahmed, M.A. (1993): Effect of food on development, reproduction and survival of Chiroptropoda bakeri (Acarina, Uropodidae). - Exp. Appl. Acarol. 17,4: 277-281
- Nihoul, P. (1993): Influences of the method of introduction of prey (*Tetranychus urticae*) and predators (*Phytoseiulus persimilis*) on the development of plant injury in tomato crops under glass. - Exp. Appl. Acarol. 17,10: 765-774
- Norton, R.A./ Kethley, J.B./ Johnston, D.E./ O'Connor, B.M. (1993): Phylogenetic perspectives on genetic systems and reproduction modes of mites. - In: Wrensch, D.L./ Mercedes, A.E., Evolution and Diversity of Sex Ratio in Insects and Mites, Chapman & Hall, New York: 8-99
- Papadoulis, G.T./ Emmanouel, N.G. (1993): New records of phytoseiid mites from Greece with descriptions of two new species of *Typhlo-dromus* Scheuten (Acarina, Phytoseiidae). - Int. J. Acarol. 19,4: 321-328
- Pereira-Lorenzo, A./ Quintero Alonso, P. (1993): Contribution to the study of suborder Mesostigmata. - Mites ectoparasite on Chiroptera in Galicia (Spain): Families Laelapidae and Macronyssidae. - Acarologia 34,1: 17-20
- Puschning, P.M. (1993): Die Kleinarthropodenfauna mikrobiologisch dekontaminiert Bodensubstrate unter besonderer Berücksichtigung der Gamasina (Acaria, Mesostigmata). - Diss. Univ. Bremen: 1-264
- Rath, W. (1993): Aspects of preadaptation in Varroa jacobsoni while shifting from its original host *Apis cerana* to *Apis mellifera*. - In: Conner, L.J. et al. (Eds.), Asian Apiculture, Wicwas Press, Cheshire: 417-426
- Rinderer, T.E./ Guzman, L.I. de/ Kulincevic, J.M./ Delatte, G.T./ Beaman, L.D./ Buco, S.M. (1993): The breeding, importing, testing and general characteristics of Yugoslavian Honey Bees Bred for resistance to Varroa jacobsoni. - Am. Bee J. 133: 197-200
- Rodriguez, B./ Ubeda, J.M./ Guevara, D.C. (1993): A study of *Ptilonyssus bombycillae* Fain, 1972 and *P. motaillae* Fain, 1956 (Mesostigmata, Rhinonyssidae), parasite from mites from nasal cavities from Spanish birds. [Orig.Span.]. - Bol. R. Soc. Esp. Hist. Nat. (Sec. Biol.) 89,1-4: 13-21
- Rosenkranz, P./ Tewarson, N.C./ Rachinsky, A./ Strambi, A./ Stambi, C./ Engels, W. (1993): Juvenile hormone titer and reproduction of Varroa jacobsoni in capped brood stages of *Apis cerana indica* in comparison to *Apis mellifera ligustica*. - Apidologie 24: 375-382
- Rosenkranz, P./ Tewarson, N.C./ Singh, A./ Engels, W. (1993): Differential hygienic behaviour towards Varroa jacobsoni in capped worker brood of *Apis cerana* depends on alien scent adhering to the mites. - J. Apicult. Res. 32,2: 89-93
- Ruf, A. (1993): Die morphologische Variabilität und Fortpflanzungsbiologie der Raubmilbe *Hypoaspis aculeifer* (Canestrini 1883) (Mesostigmata, Laelapidae). - Diss. Univ. Bremen: 1-184
- Ruf, A./ Koehler, H. (1993): *Hypoaspis fishtowni* sp.nov. (Acaria, Mesostigmata, Laelapidae): A new predatory mite. - Acarologia 34,3: 193-198
- Ryu, Myon-Ok, Ehara, S. (1993): Two new species of genus *Phytoseius* (Phytoseiidae, Acari) from Korea. - Korean J. Syst. Zool. 9,1: 13-18
- Sabelis, M.W. (1993): The populations biology of predators, parasites and diseases. 10. Predatory arthropods. - In: Crawley, M.J. (Ed.), Natural Enemies, Oxford: 225-264
- Sabelis, M.W./ Bakker, F.M. (1993): How predatory mites cope with the web of their tetranychid prey: a functional view on dorsal chaetotaxy in the Phytoseiidae. - Exp. Appl. Acarol.: im Druck
- Sabelis, M.W./ Nagelkerke, C.J. (1993): Sex- allocation and pseudoarrhenotoky in Phytoseiid mites. - In: Wrensch, D.L./ Ebbert, M.A. (Eds.), Evolution and Diversity of Sex Ratio in Insects and Mites, Chapman & Hall, New York: 512-541

- Sabelis, M.W./ Weel, J.J. van der (1993): Anemotactic responses of the predatory mite, *Phytoseiulus persimilis* Athias-Henriot, and their role in prey finding. - *Exp. Appl. Acarol.* 17: 521-529
- Schelvis, J. (1993): De mijten (Acari) uit Oosterbeentum. - Jaarverslagen van de vere-nig. voor terpenonderzoek: im Druck
- Schmöller, K. (1993): Landmilben aus Kärnten II. (Acarina, Parasitiformes). Beitrag zur Kenntnis der Milbenfauna des Hemmaberges. - *Carinthia* II 183,103: 425-441
- Shih C.-I.T./ Hsu P.-H./ Hwang Y.-F. (1993): Responses of *Amblyseius ovalis* (Evans) (Acarina, Phytoseiidae) to natural food resources and two artificial diets. - *Exp. Appl. Acarol.* 17,7: 503-520
- Steeghs, N./ Nedstam, B./ Lundqvist, L. (1993): Predatory mites of the family Phytoseiidae (Acari, Mesostigmata) from South Sweden. - *Ent. Tidskr., Uppsala, Schweden* 114,1-2: 19-27
- Steiner, J./ Dittmann, F./ Rosenkranz, P./ Engels, W. (1993): Interrelation between reproduction of the honey bee (*Apis mellifera carnica*) parasitic mite (*Varroa jacobsoni*) and preimaginal host development during the first gonocycle. - *Invertebr. Reprod. Dev.* 23: im Druck
- Strong, W.B./ Croft, B.A. (1993): Predaceous phytoseiid mites associated with spider mites on hops in the Willamette Valley, Oregon. - *J. Ent. Soc. Brit. Col.*: im Druck
- Takahayashi, J./ Dicke, M./ Takahashi, S./ Posthumus, M.A./ Beek, T.A. van (1993): Within-plant differences in herbivore-induced synomes: Age of cucumber leaves infested by the two-spotted spider mite *T. urticae*, affects volatile blend and attractiveness to the predatory mite *Phytoseiulus persimilis*. *J. Chem. Ecol.*: im Druck
- Takahashi, F./ Chant, D.A. (1993): Phylogenetic relationships in the genus *Phytoseiulus* Evans (Acari, Phytoseiidae). III. Cladistic analysis. - *Internat. J. Acarol.* 19,3: 233-241
- Takahashi, F./ Chant, D.A. (1993): Phylogenetic relationships in the genus *Phytoseiulus* Evans (Acari, Phytoseiidae). IV. Reproductive isolation. - *Internat. J. Acarol.* 19,4: 305-311
- Tanigoshi, L.K./ Megevand, B./ Yaninek, J.S. (1993): Nonprey food subsistence of *Amblyseius idaeus* (Acari, Phytoseiidae) on cassava in Africa. - *Exp. Appl. Acarol.* 17,1/2: 91-96
- Taylor, A./ James, D.G. (1993): Effect of temperature on development and survival of *Typhlodromus doreenae* Schicha (Acari, Phytoseiidae). - *Int. J. Acarol.* 19,2: 185-188
- Trumble, J.T./ Morse, J.P. (1993): Economics of integrating the predaceous mite *Phytoseiulus persimilis* (Acari, Phytoseiidae) with pesticides in strawberries. - *J. Econ. Entomol.* 86,3: 879-885
- Tucci, E.C./ Guimaraes, J.H./ Vicente, A.G. (1993): Biologia do *Dermanyssus gallinae* (DeGeer, 1778) (Acari, Dermanyssidae) em condicoes de laboratorio. - *Res. 14. Congr. Brasil. Entomol.*, Piracicaba 1993: 733
- Tuovinen, T. (1993): Identification and occurrence of phytoseiid mites (Gamasina, Phytoseiidae) in Finnish apple plantations and their surroundings. - *Entomol. Fenn.* 4,2: 95-114
- Uchikawa, K. (1993): *Bewsiella Domrow* (Acarina, Mesostigmata): A revision and the description of new species. - *Syst. Parasitol.* 24,2: 81-97
- Urhan, R./ Ayyildiz, N. (1993): Two new species of the genus *Zercon* Koch (Acari, Zerconidae) from Turkey. - *Int. J. Acarol.* 19,4: 335-339
- Usitalo, M. (1993): The identification of mites (Acari) from birds' nests by Nordberg (1936) - a revaluation. - *Euraac News Letter* 6,1: 5-8
- Vorwohl, G. (1993): Resistenz der Milbe *Varroa jacobsoni* gegen Fluvalinat? - *Deut. Bienen J.* 10: 546
- Wallner, K. (1993): Eine Methode zur Bestimmung von varroaziden Rückständen im Bienenwachs. - *Apidologie* 24: 502-503
- Walter, D.E./ Halliday, R.B./ Lindquist, E.E. (1993): A review of the genus *Asca* (Acarina, Ascidae) in Australia, with descriptions of three new leafinhabiting species. - *In-vertebr. Taxon.* 7: 1327-1347
- West, K.J./ Deangelis, J.D. (1993): *Typhlo-dromus americanus* Chant and Yoshida-Shaul, a predator of the spruce spider mite. - *Int. J. Acarol.* 19,2: 193-194
- Wiese, M.H.J./ Fain, A. (1993): New species of the genus *Rhinoseius* Baker and Yunker, 1964 (Acari, Mesostigmata, Ascidae) found in Colombia. - *Bull. et Ann. de la Soc. Royale Belge d'Entomol.* 129,4-6: 69-101
- Wisniewski, J. (1993): Alphabetisches Artenverzeichnis der Uropodiden der Erde. - *Acarologie, Hirschmann-Verlag Nürnberg* 40: 430-466
- Wisniewski, J. (1993): Alphabetisches Verzeichnis der Uropodiden (Gattungen, Arten, Synonyma). - *Acarologie, Hirschmann-Verlag Nürnberg* 40: 371-429

- Wisniewski, J. (1993): Gangsystematik der Parasitiformes Teil 549. Die Uropodiden der Erde nach zoogeographischen Regionen und Subregionen geordnet (Mit Angabe der Länder). - Acarologie, Hirschmann-Verlag Nürnberg 40: 221-291
- Wisniewski, J./ Hirschmann, W. (1993): Gangsystematik der Parasitiformes Teil 548. Katalog der Ganggattungen, Gruppen und Arten der Uropodiden der Erde (Taxonomie, Literatur, Grösse, Verbreitung, Vorkommen). - Acarologie, Hirschmann-Verlag Nürnberg 40: 1-220
- Wisniewski, J./ Hirschmann, W. (1993): Protonymphe einer neuen Urodiaspis-Art (Acarina, Uropodina). - Acarologia 34,1: 9-12
- Wisniewski, J./ Hirschmann, W. (1993): Triglogynium ligniphilum nov. spec., eine mit exotischen Holz nach Polen eingeschleppte Milbenart (Triplognyidae). - Acarologia 34,1: 13-16
- Wisniewski, J./ Hirschmann, W. (1993): Eine neue Dendrolaelaps-Art (Acarina, Tricho-pygidiina) aus Kuba. - Bull. Polish Acad. Sci., Biol. Sci., Zool. 41,1: 75-84
- Wisniewski, J./ Hirschmann, W. (1993): Neue Uropodina-Arten (Acarina) aus Kuba. - Bull. Polish Acad. Sci., Biol. Sci., Zool. 41,1: 57-74
- Wisniewski, J./ Hirschmann, W. (1993): Eine neue Microgynium-Art (Acarina, Microgyniina) aus Brasilien. - Bull. Polish Acad. Sci., Biol. Sci., Zool. 41,1: 53-56
- Wisniewski, J./ Hirschmann, W. (1993): Stadien von drei neuen Uroseius (Apionoseius)-Arten (Acarina, Uropodina) auf Trox-Arten (Coleoptera, Scarabaeidae) aus USA und Brasilien. - Bull. Polish Acad. Sci., Biol. Sci., Zool. 41,1: 85-97
- Wisniewski, J./ Hirschmann, W. (1993): Neue Nenteria-Arten aus der Ukraine, aus Kambodscha, aus den USA, von der Elfenbeinküste und aus Peru (Trichouropodini, Uropodinae). - Acarologia 34,4: 313-322
- Wisniewski, J./ Hirschmann, W. (1993): Eine neue Trichodiplogynium-Art (Antennophorina, Diplogyniidae) aus Mittelamerika. - Acarologia 34,4: 309-311
- Witalinski, W. (1993): Holoparasitus (Holoparasitus) dallai sp.n., a new gamasid mite from Sardinia, Italy (Acari, Pergamasidae). - Int. J. Acarol. 19,4: 355-363
- Yaninek, J.S./ Onzo, A./ Ojo, J.B. (1993): Continentwide releases of neotropical phytoseiids against the exotic cassava green mite in Africa. - Exp. Appl. Acarol. 17,1/2: 145-160
- Ye Rui-Yu/ Ma Li-Ming (1993): Two new species of genus Ameroseius from China (Acari, Ameroseiidae). [Orig.Chin.]. - Endemic Diseases Bulletin 8,3: 86-89
- Yin Sui-Gong/ Bei Na-Xin (1993): Two new species and four new records of the genus Parholaspulus from China. (Acari, Parholaspidae). [Orig.Chin.]. - Acta Zootaxonomica Sinica 18,4: 434-437
- Zemek, R. (1993): Characteristics of development and reproduction in *Typhlodromus pyri* on *Tetranychus urticae* and *Cecidophyopsis ribis*. I. Overwintered females. - Exp. Appl. Acarol. 17: 405-421
- Zemek, R. (1993): Characteristics of development and reproduction in *Typhlodromus pyri* on *Tetranychus urticae* and *Cecidophyopsis ribis*. II. Progeny of overwintered females. - Exp. Appl. Acarol. 17,11: 847-858
- Zhang, Z.-Q./ Sanderson, J.P. (1993): Hunger and age effects on searching behavior of three species of predatory mites (Acari, Phytoseiidae). - Can. J. Zool. 71,10: 1997-2004
- Zhang, Z.-Q./ Sanderson, P. (1993): Behavioral responses to prey by three acarine predator species with different degrees of polyphagy. - Oecologia, Heidelberg 96,2: 147-156
- Publikationen - erschienen oder im Druck 1994**
- Boecking, O. (1994): Das Ausräumenverhalten von *Apis mellifera* L. gegenüber milbenbefallener Brut als ein Abwehrverhalten gegen die ektoparasitische Milbe *Varroa jacobsoni* Oud. - Diss. Rheinischen F.-Wilhelms-Univ. Bonn: 1-127
- EHara, S./ Okada, Y./ Kato, H. (1994): Contribution to the knowledge of the mite family Phytoseiidae in Japan (Acari, Gammasina). - J. Fac. Educ. Tottori Univ. (Nat. Sci.) 42: 119-160
- Hirschmann, W./ Wisniewski, J. (1994): Sejus venezuelanus nov. spec. (Trichopygidina) aus Venezuela. - Acarologia 35,1: 21-26
- Koehler, H.H. (1994): A case study on bioindication and its use for the assessment of ecological impact. - Ecotoxicology of Soil Organisms, Lewis Publishers 0,31: 428-444
- Madej, G./ Grec, K. (1994): Influence of vegetation growth of sand excavation on the development of Mesostigmata mite communities (Arachnida, Acari). - Acta Biol. Silesiana Katowice: im Druck

- Madej, G./ Skowronska, I. (1994): Structure of pioneer communities of Mesostigmata mites (Arachnida, Acari) at initial stages of ecological succession on galenacalaminae mining wastelands. - Acta Biol. Silesiana Katowice: im Druck
- Masan, P. (1994): The eviphidid mites (Acarina, Mesostigmata, Eviphididae) associated with scarabaeid and Carrion beetles (Coleoptera, Scarabaeidae, Silphidae) in Central Europe. - Acarologia 35,1: 3-19
- Özkan, M./ Ayyildiz, N./ Erman, O. (1994): Check list of the Acari of Turkey. First supplement. - EurAAC News Letter 7,1: 4-12
- Schelvis, J. (1994): Predatory mites (Acari, Gamasida) in excrements of five domestic animal species. - Pedobiologia 38,1: 72-80
- Strong, K.L./ Halliday, R.B. (1994): Three new species of Hypoaspis Canestrini (Acarina, Laelapidae) associated with large australian cockroaches. - J. Aust. ent. Soc. 33: 87-96
- Urhan, R./ Ayyildiz, N. (1994): Two new species of the genus Zercon Koch (Acari, Zerconidae) from Turkey. - Internat. J. Acarol. 19,4: 335-339
- Urhan, R./ Ayyildiz, N. (1994): Zercon C.L. Koch, 1836: Species new to the Turkish fauna (Acari, Mesostigmata, Zerconidae). [Orig.Türk.]. - Tr. J. Zoology 18: 53-60
- Wisniewski, J./ Hirschmann, W. (1994): Neue Centrouropoda-Arten (Uroactiniinae, Uropodina) aus den Philippinen, aus Brasilien und Mittelafrica. - Acarologia 35: xxx-xxx
- Wisniewski, J./ Hirschmann, W. (1994): Klinckowstroemiella trinidadis nov. spec. aus Trinidad (Trigynaspida, Klinckowstroemiiidae). - Acarologia 35,1: 27-29

## Personalia

- Agueva, Dr. T.Zh.  
Inst. Evol. Morfol. and  
Ecol. of Animals  
Leninsky prospect, 33  
Moscow 117071  
Russland / Russia
- Aggarwal, Dr. Kamal  
College of Agriculture  
Kaul (Kaithal)  
Haryana 132021  
Indien / India
- Aguilar, Dr. Hugo  
Laboratorio de Acarologia  
Facultad de Agronomia  
Universidad de Costa Rica  
San José  
Costa Rica
- Akimov, Dr. I.A.  
Inst. of Zoology  
Ukrainian Acad. Sci.  
Leninstr. 15  
252601 Kiev-30  
Ukraine
- Al Amidi, Dr. A.H.K.  
St. Patrick's College  
Maynooth, Co. Kildare  
Ireland
- Alberti, Dr. Gerd  
Zool. Inst. I (Morph./Ökol.)  
Universität Heidelberg  
Im Neuenheimer Feld 230  
D-69120 Heidelberg  
Deutschland / Germany
- Ambros, Dr. Michal  
Kocelova 5  
949 01 Nitra  
Slovak. Rep. / Slovakia
- Aponte, Dr. Orlando R.  
Inst. de Zool. Agricola  
Fac. de Agronomia  
Univ. Central de Venezuela  
Apartado 4579  
Maracay, AR  
Venezuela
- Arutjunjan, Dr. E.S.  
Institute of Zoology  
Armenian Acad. of Science  
Gastello Str. 14  
Erevan 44  
Armenien / Armenia
- Athias-Binche, Dr. Francoise  
Ministere des Universites  
Universite P. et M. Curie  
Laboratoire ARAGO  
F-66650 Banyuls-sur-Mer  
Frankreich / France
- Baggio, Dr. Domingos  
Dep. of Parasitol.  
Inst. of Biomedical Sci.  
Univ. of Sao Paulo  
Caixa Postal 4365  
05.508 Sao Paulo, SP  
Brasilien / Brazil
- Baier, Dr. Barbara  
Biolog. Bundesanst.  
für Land-u. Forstwirtsch.  
Stahnsdorfer Damm 81  
D-14532 Kleinmachnow  
Deutschland / Germany
- Bakker, Dr. Frank M.  
Department of Pure  
and Applied Ecology  
Univ. of Amsterdam  
Kruislaan 302  
NL-1098 SM Amsterdam  
Niederlande / Netherlands
- Beerling, Dr. E.A.M.  
Department of Pure  
and Applied Ecology  
Univ. of Amsterdam  
Kruislaan 302  
NL-1098 SM Amsterdam  
Niederlande / Netherlands
- Beetsma, Dr. J.  
Dept. of Entomol.  
Agricultural Univ.  
P.O. Box 8031  
NL-6700 EH Wageningen  
Niederlande / Netherlands
- Binnik, Dr. E.N.  
Inst. Zool.  
Acad. Sci. Ukr. SSR  
Kiev  
Ukraine
- Blaszak, Dr. Czeslaw  
Dep. of Animal Morphol.  
Adam Mickiewicz Univ.  
Szamarzewskiego 91  
PL-60-569 Poznan  
Polen / Poland
- Bloszyk, Dr. Jerzy A.  
Dep. of Animal Taxonomy  
and Ecology  
A. Mickiewicz University  
Szamarzewskiego 89/91  
PL-60-569 Poznan  
Polen / Poland
- Boecking, Dr. Otto  
Inst. für Landwirtschaftl.  
Zoologie und Bienenkunde  
der Universität  
Melbweg 42  
D-53127 Bonn  
Deutschland / Germany
- Boot, Dr. Willem J.  
Dep. of Entomology  
Agricul. Univ.  
P.O.Box 8031  
NL-6700 EH Wageningen  
Niederlande / Netherlands
- Braun, Dr. Ann R.  
Centro Internacional de  
Agricultura Tropical (CIAT)  
Apartado Aéreo 6713  
Cali  
Kolumbien / Colombia
- Bruin, Dr. J.  
Department of Pure  
and Applied Ecology  
Univ. of Amsterdam  
Kruislaan 302  
NL-1098 SM Amsterdam  
Niederlande / Netherlands
- Burgett, Dr. D. Michael  
Dep. of Entomol.  
Oregon State Univ.  
2046 Cordley Hall  
Corvallis OR 97331-2907  
USA
- Buryn, Dipl.-Biol. R.  
Moritzhöfen 1  
D-95447 Bayreuth  
Deutschland / Germany
- Butz-Strazny, Dr. Frauke  
Univ. Osnabrück  
Standort Vechta FB 13  
Driverstr. 22  
D-49377 Vechta  
Deutschland / Germany
- Chant, Dr. D.A.  
Dep. Zoology  
University of Toronto  
25 Harbord Street  
Toronto, ON M5S 1A1  
Canada
- Chiesa, Dr. F.  
Ist. di Difesa delle Piante  
Univ. degli Studi di Udine  
Piazzale M. Kolbe  
I-33100 Udine  
Italien / Italy
- Chmielewski, Dr. Wit  
Division of Apiculture  
Inst. of Pomol.  
& Floricult.  
Kazimierska 2  
24-100 Pulawy  
Polen / Poland
- Clements, Mr. David R.  
Dept. of Crop Science  
University of Guelph  
Guelph, Ont. N1G 2W1  
Kanada / Canada
- Cloutier, Prof. Conrad  
Dep. de biologie  
Fac. de sci. et de génie  
Univ. Laval  
Quebec G1K 7P4  
Kanada / Canada

Cobanoglu, Dr. Sultan Bioloji Bolumu Fen Edelioji Fakultesi Trakay University Edirne 22030 Türkei / Turkey	Dicke, Dr. Marcel Dep. Entomol. Agric. Univ. P.O. Box 8031 NL-6700 EH Wageningen Niederlande / Netherlands	Ei Boroassy, Dr. Maher Dep. Plant Protection National Research Centre Dokki, Cairo 12311 Ägypten / Egypt
Colin, Dr. Marc-Edouard I.N.R.A. Stat. Phytopharmacie Domaine Saint-Paul B.P. 91 F-84140 Montfavet Frankreich / France	Drescher, Prof. Dr. W. Inst. für Landwirtschaftl. Zoologie und Bienenkunde der Universität Melbweg 42 D-53127 Bonn Deutschland / Germany	Elzinga, Dr. Richard J. Department of Entomology Kansas State University Waters Hall Manhattan KS 66 506 USA
Corpuz-Raros, Dr. L.A. Dep. of Entomology Univ. of Philippines at Los Banos College Laguna 4031 Philippines	Drukker, Dr. B. Dep. Pure & Appl. Ecol. Univ. of Amsterdam Kruislaan 302 NL-1098 SM Amsterdam Niederlande / Netherlands	Evans, Dr. Gwilym O. 34 Hormare Crescent Storrington, Pulborough W. Sussex, RH20 4QT England / United Kingdom
Costa, Dr. Arlindo Luiz da EMBRAPA-UEPAE de Rio Branco Caixa Postal 392 69.900-900 Rio Branco, AC Brasilien / Brazil	Dunley, Mr. John E. Dept. of Entomology Oregon State University 2046 Cordley Hall Corvallis, OR 97331-2907 USA	Fain, Dr. Alex Inst. royal des Sciences naturelles de Belgique Rue Vautier, 29 B-1040 Brussels Belgien / Belgium
Croft, Mr. Brian A. Department of Entomology Oregon State University 2046 Cordley Hall Corvallis, OR 97331-2907 USA	Duso, Dr. Carlo Ist. di Entom. Agraria Università di Padova Via Gradenigo n. 6 I-35-131 Padova Italien / Italy	Farrier, Dr. Maurice H. Dep. of Entomology North Carolina State Univ. Campus Bos 7613 Raleigh, NC 27695-7613 USA
Cuellar, Dr. Maria Elena Centro Internacional de Agricultura Tropical (CIAT) Apartado Aéreo 6713 Cali Kolumbien / Colombia	Ehara, Dr. Shozo Biological Inst. Fac. of Education Tottori University Tottori 680 Japan	Flechtmann, Dr. Carlos H.W. Dep. Zool. Univ. Sao Paulo, ESALQ Caixa Postal 9 Sao Paulo SP-13418-900 Piracicaba Brasilien / Brasil
De Guzman, Dr. Lilia I. Dep. Agricult. ARS, Honey-Bee Breed., Genetics & Physiol. Res. 1157 Ben Hur Road Baton Rouge, LA 70820-5502 USA	Ehrnsberger, Prof. Rainer Universität Osnabrück Abteilung Vechta Diversstr. 22 D-49377 Vechta Deutschland / Germany	Gillespie, Dr. David R. Agricult. Canada Res. Station P.O.Box 1000 Agassiz B.C., VOM 1A0 Canada
De Jong, Dr. David Dep. of Genetics Fac. of Medicine Univ. of Sao Paulo SP-14.049 Ribeirao Preto Brasilien / Brasilia	Eickwort, Dr. George C. Dep. of Entomology 2130 Comstock Hall Cornell University Ithaca, New York 14850 USA	Glockemann, Dr. Brunhild Wittekindstr. 10 D-27570 Bremerhaven Deutschland / Germany
Delphinado-Baker, Dr. M.D. Systematic Entomology Lab. ARS-USDA B-046 Beltsville Maryland 20705 USA	Ei Bagoury, Dr. M.E. Dep. of Plant Protection National Research Centre Dokki, Cairo 12311 Ägypten / Egypt	Goff, Dr. M. Lee Dep. of Entomology Univ. of Hawaii at Manoa 3050 Maile Way RM. 310 Honolulu, HI 96822 USA
Denmark, Dr. Harold A. Florida Dep. of Agricult. Division of Plant Industry P.O. Box 147100 Gainesville, FLA 32614-7100 USA	Ei Banhawy, Prof. E.M. Plant Protection Dep. National Res. Center A.R. of Egypt Sh. El-Tahrir Dokki, Cairo 12311 Ägypten / Egypt	Gorirossi-Bourdeau, Mrs. F. Avenue des Fleurs 26 B - 1150 Brussels Belgien / Belgium
		Grafton-Cardwell, Dr. E.E. Univ. Calif. Kearney Agric. Cent. 9240 South Riverbend Ave. Parlier, CA 93648 USA

Haitlinger, Prof.Dr.habil. R.	Kabicek, Dr. Jan	Leite, Dr. Romario Cerqueira
Katedra Zoologii AR ul.Cybulskiego 20 PL-50-205 Wrocław Polen / Poland	Vysoka Skola Zemedelska Praha Katedra ochrany rostlin CS-165 00 Praha 6-Suchdol Tschech. Rep. / Czech.	Dept. Med. Vet. Preventiva Escola de Veterinaria Univ. Federal de Minas Gerais
Halliday, Dr. R. Bruce CSIRO Division of Entomology G.P.O. Box 1700 Canberra ACT 2601 Australien / Australia	Karg, Prof.Dr. Wolfgang Biologische Bundesanstalt für Land- u. Forstwirtschaft Stahnsdorfer Damm 81 D-1453 Kleinmachnow Deutschland / Germany	Av. Antonio Carlos 6627 31.270 Belo Horizonte, MG Brasilien / Brazil
Heisler, Dr. C. Zoologisches Institut Technische Universität Pockelsstr. 10a D-38106 Braunschweig Deutschland / Germany	Kim, Dr. Dong-Soo Div. Entomol. Dep. Agric. Biol. Seoul Natl. Univ. Suwon 441-744 Korea	Lindquist, Dr. Evert E. Agriculture Canada Centre for Land and Biolog. Resources Research K.W. Neatby Building Ottawa, ON, K1A 0C6 Canada
Hennessey, Dr. M.K. USDA, ARS Subtropical Horticulture Research Station 13601 Old Cutler Road Miami, FL 33158 USA	Kinn, Dr. Donald N. U.S. Dep. of Agricult. Southern Forest Exp. Stat. P.O. Box 5500 Pineville, LA 71361-5500 USA	Liu, Dr. T.P. Bee Disease Res. Lab. Res. Stat., Agricult. Can. Box 29 Beaverlodge, AB, TOH 0C0 Kanada / Canada
Hirschmann, Dr. Werner († 1994) Veitshöchheimer Str. 14 D-90427 Nürnberg Deutschland / Germany	Koehler, Dr. Hartmut Univ. Bremen, FB 2 AG Ökosystemforsch. & Bodenökol. POF 330 440 D-28334 Bremen Deutschland / Germany	Lundqvist, Dr. Lars Dep. of Systematic Zool. Lund University Helgonavägen 3 S-22362 Lund Schweden / Sweden
Hunter, Prof. Preston E. University of Georgia Dept. of Entomology 413 Biol.Sci.Building Athens, GA 30602 USA	Koeniger, Prof. N. Inst. f. Bienenkunde Fachber. Biologie Univ. Frankfurt / Main Karl-von-Frisch-Weg 2 D-61440 Oberursel Deutschland / Germany	Luxton, Dr. Malcolm c/o School of Natural Sci. Liverpool John Moores Univ. Byrom Street Liverpool L3 3AF England / United Kingdom
Hyatt, Dr. Keith H. 1 Tremcelynog Rhadrifmwyn Llandovery Dyfed SA20 0NU, Wales Großbritannien / U.K.	Kolodochka, Dr. L.A. Institute of Zoology Ukrainian Acad. of Sciences Lenin Str. 15 252601 Kiev-30 Ukraine	Madej, Dr. Grazyna University of Silesia Department of Ecology ul. Bankowa 9 PL-40-007 Katowice Polen / Poland
Ifantidis, Prof. Dr. M.D. Univ. Thessaloniki Agric. Fac. GR-54006 Thessaloniki Griechenland / Greece	Krantz, Prof. Gerold W. Dep. of Entomology Oregon State University Cordley Hall 2046 Corvallis, OR 97331-2907 USA	Makarova, Dr. Olga L. Inst. of Animals Evolut. Morph. and Ecol. Russian Acad. of Sci. Leninsky pr. 33 Moscow 117071 Russia / Russland
Ishikawa, Prof. Kazuo Laboratory of Biology Matsuyama Shinonomie Junior College Kuwabara-Cho Matsuyama 790 Japan	Kumar, Dr. Ram Dep. Entomol. & Apicult. Dr. Y.S. Parmar Univ. of Horticult. & Forestry Nauni-Solan 173 230 Solan, H.P. Indien / India	Marcangeli, Dr. Joego A. Laboratorio de Arthropodos Fac. Cienc. Exactas y Natur. Univ. de Mar del Plata Funes 3350 7600 Mar del Plata Argentinien / Argentina
James, Dr. David G. Yanco Agricultural Inst. NSW Agricultural and Fish. Private Mail Bag Yanco, NSW 2703 Australien / Australia	Latapia, Dr. Ilga ZA Biologijas institūts Miera iela 2 LV-2169 Salaspils Latvija / Lettland	Maurer, Dr. Veronika Institut f. Nutztierwiss. Physiologie u. Tierhaltung ETH-Zentrum Universitätsstr.2, LFW B54 CH-8092 Zürich Schweiz / Switzerland
Janssen, Mr. A. Dep. Pure & Appl. Ecol. University of Amsterdam Kruislaan 302 NL-1098 SM Amsterdam Niederlande / Netherlands		

Megevand, Dr. Benoit IITA Biol. Control Program B.P. 08-0932 Cotonou Benin	Needham, Dr. Glen R. Acarology Laboratory Dep. of Entomol. The Ohio State Univ. 484 West 12th. Avenue Columbus, OH 43210-1292 USA	Rodriguez, Dr. B. Dep. Microbiol. Parasit. Facultad Farmacia Univ. Sevilla 41012 Sevilla Spanien / Espana
Mendes, Dr. Marcia C. Instituto Biologico Secao de Parasitoses Caixa Postal 7119 01064-970 Sao Paulo, SP Brasilien / Brazil	Nihoul, Dr. Philippe Unité d'Ecol. & Biogéogr. Univ. Cath. de Louvain 4-5, Place Croix du Sud B-1348 Louvain-la-Neuve Belgien / Belgium	Rosenkranz, Dr. Peter Bayer. Landesanstalt für Bienenzucht Burgbergstr. 70 D-91054 Erlangen Deutschland / Germany
Mesa, Dr. N.C. Centro Internacional de Agricultura Tropical (CIAT) Apartado Aéreo 6713 Cali Kolumbien / Columbia	Overmeer, Dr. W.P.J. Dep. Pure and Appl. Ecol. University of Amsterdam Sect. Population Biology Kruislaan 302 1098 SM Amsterdam Niederlande / Netherlands	Ruf, Fr. Andrea Universität Bremen FB 2 NW 2 Bibliothekssstr. PF 330440 D-28334 Bremen Deutschland / Germany
Milani, Dr. Norberto Dipart. di Biol. Applicata alla Difesa delle Piante Univ. degli Studi di Udine Via Fagagna, 208 I-33100 Udine Italien / Italy	Ozkan, Dr. Muhlis Department of Biology Faculty of Sciences Ataturk University Erzurum 25170 Türkei / Turkey	Ruttner, Prof. Dr. F. Bodingbachstr. 16 A-3293 Lunz Am See Österreich / Austria
Morales, Dr. Gilberto J. de CNPDA/EMBRAPA Ministerio da Agricultura Caixa Postal 69 SP-13820 Jaguariuna Brasilien / Brazil	Papadoulis, Dr. George Th. Agriculture Univ. of Athens Lab. Agric. Zool. Entomol. Iera Odos 75 Gr-118 55 Athens Griechenland / Greece	Rybin, Dr. S.N. Kurmandjean datka Str. 264/38 714000-CIS Osh Kirgisien / Kyrgyzstan
Moraza, Dr. Maria Lourdes Universidad de Navarra Facultad De Ciencias Dpto. De Zoologia E-31080 Pamplona Spanien / Espana	Pavlovic, Dr. Ivan RO Veter. i mlekarски inst. Beograd Velizarova Kosanovicva 49 11000 Beograd Jugoslawien / Jugoslavia	Ryu, Dr. Myon-Ok Dep. Biol. Coll. Natural Sci. Chonbuk Natl. Univ. Chonju 560-756 Korea
Moretto, Dr. Geraldo Dep. of Genetics Fac. of Medicine Univ. of Sao Paulo SP-14.049 Ribeirao Preto Brasilien / Brazil	Pereira-Lorenzo, Prof. Aurea Catedra de Parasitología Facultad de Farmacia Univ. de Sant. de Compostela 15706 Santiago de Compostela Spanien / Spain	Sabelis, Prof.Dr. M.W. University of Amsterdam Dept. Pure & Appl. Ecol. Section Population Biology Kruislaan 302 NL-1098 SM Amsterdam Niederlande / Netherlands
Mossadegh, Prof. M.S. Dept. of Entomology College of Agricul. Shahid Chamran Univ. Ahwaz Iran	Rademacher, Dr. Eva Inst. für Zoologie Freie Univ. Berlin Königin-Luise Str. 1-3 D-14195 Berlin Deutschland / Germany	Sagdieva, Dr. P. Inst. of Zool. Georgian Acad. of Sciences 1 Chavchavadze Avenue 31 380079 Tbilissi Georgien / Georgia
Nangia, Dr. Neelu Dep. of Sericulture University of Agricul. Sciences GKV Bangalore 560065 Indien / India	Ribeiro, Dr. Vera Lucia Sardá Fac. de Medicina Veter. Univ. Fed. do Rio Grande Av. Bento Gonçalves 9090 Bairro Agronomia 91.500 Porto Alegre, RS Brasilien / Brazil	Schausberger, Dr. Peter Grosse Pfarrgasse 21/9 A-1020 Wien Österreich / Austria
Nawar, Dr. Mohamed S. Acarology Division Agric. Zool. Dept. Fac. Agriculture Cairo University Giza Ägypten / Egypt	Ritter, Dr. Wolfgang Tierhygen. Inst. Freiburg P.B. 5140 Am Moosweier 2 D-79108 Freiburg Deutschland / Germany	Schelvis, Dr. Jaap Biologisch-Archaeol. Inst. Rijksuniversiteit Groningen Faculteit der Letteren Poststraat 6 NL-9712 ER Groningen Niederlande / Netherlands
		Schicha, Dr. Eberhard Biolog. & Chem. Res. Inst. Private Bag 10 Rydalmere Rydalmere NSW 2116 Australien / Australia

Schmöller, Dr. Karl Hauptstrasse 26 D 5/5 A-2315 Wiener Neudorf Österreich / Austria	Urhan, Dr. Rasit Atatürk Universitesi K.K. Egitim Fakültesi Biyoloji Anabilim Dalı 25240 Erzurum Türkei / Türkiye	Wu, Dr. Wei-Nan Guangdong Inst. Entomol. 105 Xiangang Road West Guangzhou, Guangdong 510260 China
Schousboe, Dr. Christian Beekeeping Laboratory Research Centre for Plant Protection Ledreborg Alle 98 DK-4000 Roskilde Dänemark / Denmark	Van Houten, Dr. Yvonne M. Dep. Pure and Appl. Ecol. Univ. Amsterdam Sect. Population Biology Kruislaan 302 NL-1098 SM Amsterdam Nederlande / Netherlands	Yaninek, Dr. J.S. Int. Inst. Trop. Agricult. Biol. Contr. Program Benin Station P.O. Box 08-0932 Cotonou Benin
Schwarz, Dr. Horst Bio VII Universität Bielefeld Universitätsstr. 25 D-33615 Bielefeld Deutschland / Germany	Van Rijn, Dr. P.C.J. Univ. of Amsterdam Dep. Pure & Appl. Ecol. Sect. Population Biology Kruislaan 302 NL-1098 SM Amsterdam Nederlande / Netherlands	Ye, Dr. Rui-Yu Xinjiang Inst. of Epidemic Disease Control 141 Jianquan St. Urumqi, Xinjiang 830002 China
Shih, Dr. Chain-ing T. Department of Entomology Nat. Chung-Hsing-Univ. 205 Kuokuang Road Taichung 40227, Taiwan China	Van der Hoeven, Dr. W.A.D. Dep. Pure & Appl. Ecol. Univ. of Amsterdam Kruislaan 302 NL-1098 SM Amsterdam Nederlande / Netherlands	Yin, Dr. Sui-Gong Shenyang Agric. Univ. Dep. Plant Protection Shenyang, Liaoning 110161 China
Stanjukovich, Dr. Maria K. Lab. Parasitol., Zool. Inst. Russian Acad. Sci. Univ. Universitetskaya nab. 1 199034, St. Petersburg B-34 Russland / Russia	Veerman, Dr. A. Dep. Pure & Appl. Ecol. Univ. of Amsterdam Kruislaan 302 NL-1098 SM Amsterdam Nederlande / Netherlands	Zacharda, Dr. Miloslav Inst. of Entomology Czechoslovak Acad. Science Branisovska 31 370 05 Ceske Budejovice Tschech. Rep. / CR
Steiner, Dr. Josefina Lehrstuhl Entwicklungsphysiol. Zool. Inst., Univ. Tübingen Auf der Morgenstelle 28 D-72076 Tübingen Deutschland / Germany	Walter, Dr. David Evans Dep. Botany Zoology Monash University Clayton Melbourne, VIC 3168 Australien / Australia	Zannou, Dr. Dossa Ignace ITA Biological Control Program B.P. 08-0932 Cotonou Benin
Tanigoshi, Dr. Lynell K. Department of Entomology Coll. Agricult./Home Econ. Washington State University Pullman, WA 99164-6382 USA	West, Dr. Kenneth Dep. Entomol. Oregon State Univ. Cordley Hall 2046 Corvallis, OR 97331-2907 USA	Zemek, Dr. Rostislav Inst. of Entomology Czechoslov. Acad. of Sci. Branisovska 31 CZ-370 05 Ceske Budejovice Tschech. Rep. / CR
Taylor, Dr. Ann Yanco Agricult. Inst. NSW Agric. Yanco New South Wales 2703 Australien / Australia	Wiese, Dr. M.H.J. Auwaldstr. 81 D-79110 Freiburg Deutschland / Germany	Zhang, Dr. Zhi-Qiang Dep. Entomol. Cordley Hall 2046 Oregon State Univ. Corvallis, OR 97331-2907 USA
Trumble, Dr. John T. Dep. Entomol. Univ. Calif. Riverside, CA-92521 USA	Wisniewski, Prof. Jerzy Dep. Forest & Environ. Prot. Acad. of Agriculture Wojska Polskiego Strasse 71 C PL-60-625 Poznan 31 Polen / Poland	
Tuovinen, Dr. T. Inst. Plant Protection Agricult. Res. Cent. SF-31600 Jokioinen Finnland / Finland	Witalinski, Dr. Wojciech Inst. Zool. Jagiellonian Univ. Ingardena 6 PL-30060 Krakow Polen / Poland	
Uchikawa, Dr. Kimito Dep. Parasitol. Shinshu Univ. Sch. Med. Matsumoto 390 Japan		